VOLUME 82 • AUTHOR INDEX

Aarts LP *see* van Dongen EP **323**
Absalom AR and **Scott NB** Adrenocortical function and steroid therapy in critical illness: *correspondence* **474**
Adachi T *see* Miyazaki Y **935**
Al-Kaisy AA, Chan VWS and **Perlas A** Respiratory effects of low-dose bupivacaine interscalene block **217**
Al-Rawi P *see* Gupta AK **789P**
Alderson TJ *see* Dobbs P **144**
Alexander JI International Anesthesiology Clinics, Summer 1998: Vol. 36, No. 3. Anesthesia and the Cancer Patient: *book review* **486**
Alston RP *see* Millar **521**
Ames WA, Mayou BJ and **Williams K** Anaesthetic management of epidermolysis bullosa: *review* **746**
Anders NRK Remifentanil and rapid sequence induction **953**
Andersen J *see* Bay-Nielsen M **280**
Anderson RE *see* Barr G **827**
Andrews PJD *see* Macmillan CSA **454P; ***see* Millar **521**
Andrews PJD, McQuatt A, Jones PA, Howells T and **Sleeman D** Decision tree analysis of demographic, time series physiological and medical complication data after traumatic brain injury: *abstract* **455P**
Åneman A, Eisenhofer G, Fändriks L, Olbe L, Dalenbäck J, Nitesu P and **Friberg P** Splanchnic circulation and regional sympathetic outflow during peroperative PEEP ventilation in humans **838**
Antognini JF *see* Jinks S **244**
Aono K *see* Kameyama K **402**
Aouifi A *see* Bastien O **104**
Apfel CC *see* Kranke P **481**
Appleby JN *see* O'Leary MJ **271**
Arcioni R *see* Mercieri M **531**
Armstrong T *see* Dark A **644**
Asada A *see* Oda Y **900**
Asai T Optimal cuff volume for the laryngeal mask: *correspondence* **150**
Asai T, Wagle AU and **Stacey M** Placement of the intubating laryngeal mask is easier than the laryngeal mask during manual in-line neck stabilization **712**
Asher MJ *see* Buggy DJ **448P**
Atkins M *see* Hatfield A **794P**
Aubier M *see* Molliex S **767**
Aveling W, Davies DWL and **Cooper J** Epidural analgesia during labour: *correspondence* **304**
Awan RJ, Chishti A and **Baudouin SV** Neutrophil activation after major surgical injury: *abstract* **801P**
Aziz T *see* Ford SMS **456P**
Azzis O *see* Wodey E **516**

Bäckström T *see* Norberg L **731**
Bader A *see* Segal S **651**
Baer GA, Paloheimo M and **Randell T** Postoperative cognitive dysfunction in the elderly surgical patient: *correspondence* **812**
Bailey PM *see* Patel A **809**
Bain DL *see* Myles PS **591**
Baines PB, Marzouk O, Thomson APJ, Sills JA, Riordan FAI and **Hart CA** Shed endothelial cell adhesion molecules in meningococcal disease in children: *abstract* **802P**
Baldo B *see* Fisher MM **770**
Baldock GJ *see* Foley PT **792P**
Balk M *see* Hiller A **575**
Bams JL, Mariani MA and **Groeneveld ABJ** Predicting outcome after cardiac surgery: comparison of global haemodynamic and tonometric variables **33**
Bansard JY *see* Wodey E **516**
Bapat PP *see* Randhawa NA **300**
Baraka A, Soueidi A and **Berzina C** Cisatracurium in a patient with atypical plasma cholinesterase: *correspondence* **301**
Baris S *see* Karaya D **953**
Barker I Problems in Anaesthesia, Current Issues in Paediatric Anaesthesia: *book review* **955**
Barnett NJ *see* Germon TJ **831**
Barr G, Jakobsson JG, Öwall A and **Anderson RE** Nitrous oxide does not alter bispectral index: study with nitrous oxide as sole agent and as an adjunct to i.v. anaesthesia **827**
Barratt S McG *see* Yin B **288**
Barrios A, Harding R, Hewins P, Yarrow S and **Bion JF** Emergency referrals to intensive care: can we identify patients at risk?: *abstract* **798P**
Barry BN, Murdoch S, Enright SM, Gedney JA, Gooi H and **Bellamy MC** Haemodynamic changes during orthotopic liver transplantation (OLT) closely follow complement membrane attack complex elaboration: *abstract* **467P**
Bastien O, Piriou V, Aouifi A, Evans R and **Lehot JJ** Effects of dopexamine on blood flow in multiple splanchnic sites measured by laser Doppler velocimetry in rabbits undergoing cardiopulmonary bypass **104**
Batchelor AM *see* Smith L **789P**
Baudouin SV *see* Awan RJ **801P; ***see* Smith L **789P**
Bay-Nielsen M, Klarskov B, Bech K, Andersen J and **Kehlet H** Levobupivacaine *vs* bupivacaine as infiltration anaesthesia in inguinal herniorrhaphy **280**
Bech K *see* Bay-Nielsen M **280**
Bedforth NM *see* Hardman JG **346**
Bell PRF *see* Thompson JP **129**
Bell R *see* Hallworth SP **228**
Bellamy MC *see* Barry BN **467P; ***see* Giannoudis PV **468P**
Bellingan G *see* Nath S **788P**
Bellingan G, Reilly N, Puddicome A, Marshall R and **Goldstone J** Simplification of super-syringe method allowing routine measurement of respiratory mechanics in patients with ARDS: *abstract* **785P**
Benbough JE *see* Wilkes AR **461P**
Bendtsen A *see* Perner A **137**
Beneux X *see* Wodey E **516**
Benhamou D *see* Lentschener C **691**
Benzer A *see* Keller C **399**
Bergendahl HTG, Eksborg S, Kogner P and **Lönnqvist PA** Neuropeptide Y response to tracheal intubation in anaesthetized children: effects of clonidine *vs* midazolam as premedication **391**
Berglund JE *see* Rothen HU **551**
Bernard C *see* Lagneau F **938**
Berry A *see* Brimacombe J **708**
Berzina C *see* Baraka A **301**
Bevan D *see* Ford SMS **456P**
Bewley J *see* Hartsilver EL **752**
Bhaskaran NC *see* Cressey DM **449P**
Binnie CD *see* Hewitt PB **199**
Bion J *see* Gallacher T **786P**
Bion JF *see* Barrios A **798P**
Birsan T *see* Schenk P **444**
Bito H *see* Katoh T **561**
Black IH *see* Morrow MJ **302**
Blayney MR, Malins AF and **Cooper GM** Comparison of the incidence and character of arrhythmias using sevoflurane and halothane anaesthesia in paediatric outpatient dental anaesthesia: *abstract* **451P**
Blobner M *see* Sparr HJ **537**
Blyden S *see* Gallacher T **786P**
Bodenham A *see* Hatfield A **794P; **Hatfield A **822**
Boezeman EH *see* van Dongen EP **323**
Böhm SH *see* Tusman G **8**
Bojanic S and **Bolger C** Ocular microtremor (OMT): A useful indicator of outcome in coma?: *abstract* **795P**
Boldt J *see* Lehmann A **140**

Boldt J, Weber A, Mailer K, Papsdorf M and **Schuster P** Acute normovolaemic haemodilution *vs* controlled hypotension for reducing the use of allogeneic blood in patients undergoing radical prostatectomy **170**
Bolger C *see* Bojanic S **795P**
Bonatti J *see* Haisjackl M **738**
Booth JV *see* Ure D **277**
Booth P *see* Larsen PD **685**
Bostock A *see* Jeelani NUO **799P**
Bottari B *see* Mercieri M **531**
Bouaziz H *see* Lentschener C **691**
Bovill JG *see* van den Nieuwenhuyzen MCO **580**
Bovill JG *see* White M **333**
Bowler I and **Mecklenburgh JS** Measurement of xenon using ultrasound: *abstract* **453P**
Boyett MR *see* Davies LA **723**; Harrison SM **609**
Boyle JR *see* Thompson JP **129**
Bradley P, Urwin S and **Ridley SA** A neural network accurately predicts 100-day survival after emergency abdominal aortic aneurysm repair in patients admitted to intensive care: *abstract* **791P**
Brain AIJ *see* Lopez-Gil M **132**
Bräu ME *see* Olschewski A **435**
Brazier P *see* Coles JP **453P**
Brealey D, Nathan A, Davies N, Cooper C, Heales, Land J and **Singer M** Mitochodrial dysfunction in human septic shock: *abstract* **786P**
Brett SJ *see* Foley PT **792P**
Bricchi M *see* Giannini A **941**
Bricker SRW Final FRCA Practice Papers: *book review* **157**
Brimacombe J and **Keller C** Laryngeal mask airway size selection in males and females: ease of insertion, oropharyngeal leak pressure, pharyngeal mucosal pressures and anatomical position **703**
Brimacombe J Optimal cuff volume for the laryngeal mask: *correspondence* **151**
Brimacombe J *see* Keller C **291**; Keller C **399**; Keller C **922**; Lopez-Gil M **132**
Brimacombe J, Keller C, Giampalmo M, Sparr HJ and **Berry A** Direct measurement of mucosal pressures exerted by cuff and non-cuff portions of tracheal tubes with different cuff volumes and head and neck positions **708**
Brimacombe JR *see* Keller C **286**
Bromley L *see* Cooper J **929**
Bromley LM *see* Lee J **639**
Brookes ZLS, Brown NJ and **Reilly CS** Effects of haemorrhage on the rat mesenteric microcirculation during thiopental anaesthesia: *abstract* **449P**
Brown NJ *see* Brookes ZLS **449P**
Brunner MD *see* Shinner G **925**; Vaughan DJA **451P**
Brunner MD, Umo-Etuk J, Sharpe RM and **Thornton C** Effect of a bolbus dose of midazolam on the auditory evoked response in humans **633**
Bryssine B *see* Diemunsch P **274**
Budd K and **Langford R** Tramadol revisited: *editorial* **493**
Bugge K *see* Perner A **137**
Buggy DJ, Asher MJ and **Lambert DG** Nimodipin premedication and induction dose of propofol: *abstract* **448P**
Bunting P *see* Wilson D **466P**
Burm AGL *see* van den Nieuwenhuyzen MCO **580**
Burm AGL *see* White M **333**
Buzin V *see* Jinks S **244**

Callado LF *see* Halfpenny DM **480**
Callesen T, Hjort D, Mogensen T, Schouenborg L, Nielsen D, Reventlid H and **Kehlet H** Combined field block and i.p. instillation of ropivacaine for pain management after laparoscopic sterilization **586**
Callesen T, Schouenborg L, Nielson D, Guldager H and **Kehlet H** Combined epidural–spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
Caminal P *see* Jensen EW **25**
Canet J, Sanchis J, Vila P, Zegrí A, Llubià C and **Vidal F** Ventilatory compensation for inspiratory resistive loads during anaesthesia with halothane or isoflurane **847**
Capogna G, Celleno D, Fusco P, Lyons G and **Columb M** Relative potencies of bupivacaine and ropivacaine for analgesia in labour **371**
Carabine U *see* O'Hare R **283**; **O'Hare R** 954
Carroll MT *see* McCourt KC **755**
Carstens E *see* Jinks S **244**
Caunt A *see* Dobbs P **144**
Celleno D *see* Capogna G **371**
Chakrabarti MK *see* Ma D **412**
Chan VWS *see* Al-Kaisy AA **217**
Chapman M, Woolf RL, Mutch M and **Mythen MG** Temperature-dependent errors using gastrointestinal tonometry—an *in vitro* study: *abstract* **787P**
Chapman MV *see* Woolf RL **299**
Charlton JE The Spine and Medical Negligence: *book review* **486**
Charters P International Anesthesiology Clinics, Spring 1998: Vol. 36, No. 2. The Laryngeal Mask Airway: *book review* **484**
Charters P *see* Rodriguez MAF **464P**
Checketts MR and **Wildsmith JAW** Central nerve block and thromboprophylaxis—is there a problem?: *editorial* **164**
Cheli-Muller LE *see* Diemunsch P **274**
Chen G-Y, Kuo C-D, Yang M-J, Lo H-M and **Tsai Y-S** Return of autonomic nervous activity after delivery: role of aortocaval compression **932**
Cheong KF and **Koh KF** Placement of left-sided double-lumen endobronchial tubes: comparison of clinical and fibreoptic-guided placement **920**
Chin C and **England A** Duration of anaesthetic training before Calman: *abstract* **469P**
Chishti A *see* Awan RJ **801P**
Chiu CL, Jaais F and **Wang CY** Effect of rocuronium compared with succinylcholine on intraocular pressure during rapid sequence induction of anaesthesia **757**
Chonow L *see* Wodey E **516**
Christys A *see* Janzen PRM **635**
Chu DLK *see* Hewitt PB **199**
Chung SS *see* Yoo KY **90**
Ciccone GK and **Holdcroft A** Drugs and sex differences: a *review* of drugs relating to anaesthesia **255**
Clarke JP Placebo trails: a time for change?: *correspondence* **951**
Clay D *see* Wills JS **461P**
Claydon P *see* Cressey DM **449P**
Clayton T *see* Hartsilver EL **752**
Cleaton-Jones PE *see* Liebenberg CS **213**
Clutton-Brock T *see* Nath S **788P**
Coakley JH *see* Fletcher SN **798P**;Ghosh IR **800P**
Coles JP, Leary TS, Monteiro J, Brazier P, Summors A, Matta BF, Menon DK and **Gupta AK** Comparison of remifentanil, alfentanil and fentanyl during craniotomy: *abstract* **453P**
Collins PD Consciousness and molecular mechanisms of anaesthesia: *correspondence* **648**
Collis RE, Plaat FS and **Morgan BM** Comparison of midwife top-ups, continuous infusion and patient-controlled epidural analgesia for maintaining mobility after a low-dose combined spinal–epidural **233**
Columb M *see* Capogna G **371**
Columb MO *see* Hulme GH **807**
Conacher ID Essentials of Cardiac and Thoracic Anaesthesia: *book review* **956**
Cook DJ *see* Plöchl W **237**
Cook S *see* Smith L **789P**
Cooper C *see* Brealey D **786P**
Cooper CMS *see* Short JA **945**
Cooper DW, Saleh U, Taylor M, Whyte S, Ryall D, Kokri MS, Desira WR, Day H and **McArthur E** Patient-controlled analgesia: epidural fentanyl and i.v. morphine compared after Caesarean section **366**
Cooper GM Pharmacology and Physiology in Anaesthetic Practice: *book review* **656**
Cooper GM *see* Blayney MR **451P**
Cooper J *see* Aveling W **304**
Cooper J, Jauniaux E, Gulbis B, Quick D and **Bromley L** Placental transfer of fentanyl in early human pregnancy and its detection in fetal brain **929**

Coorey A *see* Keller C **291**
Coriat P *see* Langeron O **340**
Cousins MJ *see* Smith G **817**
Cox DJA *see* Karoutsos S **175**
Cray S Fat metabolism during propofol infusion: *correspondence* **473**
Cressey DM and **Reilly CS** Effectiveness of continuous positive airway pressure to enhance preoxygenation in morbidly obese women: *abstract* **462P**
Cressey DM, P Claydon P, Bhaskaran NC and **Reilly CS** Effect of midazolam pretreatment on induction dose requirements of propofol in younger and older adults: *abstract* **449P**
Crestani B *see* Molliex S **767**
Cunningham AJ *see* Porter JM **116**
Curran JL *see* Hall WJ **465P**

Dahaba AA, Klobucar Fv, Rehak PH and **List WF** Comparison of a new piezoelectric train-of-four neuromuscular monitor, the ParaGraph, and the Relaxometer mechanomyograph **780**
Dalenbäck J *see* Åneman A **838**
Dalibon N, Schlumberger S, Saada M, Fischler M and **Riou B** Haemodynamic assessment of hypovolaemia under general anaesthesia in pigs submitted to graded haemorrhage and retransfusion **97**
Dark A and **Armstrong T** Severe postoperative laryngeal oedema causing total airway obstruction immediately on extubation **644**
Dark A Local anaesthesia for routine ocular surgery: *correspondence* **153**
Davidson JAH *see* Noble JS **41**
Davies DWL *see* Aveling W **304**
Davies LA *see* Harrison SM **609**
Davies LA, Hamilton DL, Hopkins PM, Boyett MR and **Harrison SM** Concentration-dependent inotropic effcts of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
Davies N *see* Brealey D **786P**
Davies NJH Final FRCA-Short Answer Questions: *book review* **655**
Day CJE *see* Thomas EO **803P**
Day H *see* Cooper DW **366**
de Boer A *see* van Dongen EP **323**
Declerck N *see* Dupont J **355**
Delefosse D *see* Fradj K **208**
Dell R and **Williams B** Anaesthesia for strabismus surgery: a regional survey **761**
Dengler R *see* Leuwer M **472P**
Denny NM and **Selander D** Myelopathy after hyperbaric local anaesthetics used for continuous spinal anaesthesia is iatrogenic: *correspondence* **479**
Desira WR *see* Cooper DW **366**
Desmonts JM *see* Molliex S **767**
Dhara SS *see* Liu **557**
Diemunsch P, Schoeffler P, Bryssine B, Cheli-Muller LE, Lees J, McQuade BA and **Spraggs CF** Antiemetic activitiy of the NK_1 receptor antagonist GR205171 in the treatment of established postoperative nausea and vomiting after major gynaecological surgery **274**
Dijkstra JB, Houx OJ and **Jolles J** Cognition after major surgery in the elderly: test performance and complaints **867**
Dimitriou V and **Voyagis GS** Blind intubation via the ILMA: what about accidental oesophageal intubation?: *correspondence* **478**
Diver MJ *see* Mostafa SM **476**
do Campo JL *see* Tusman G **8**
Dobbs P, Caunt A and **Alderson TJ** Epidural analgesia in an obsteric patient with Klippel-Trenaunay syndrome **144**
Dodds C Postoperative cognitive dysfunction in the elderly surgical patient; *correspondence* **813**
Doi M *see* Gajraj RJ **672**
Doi M, Gajraj RJ, Mantzaridis H and **Kenny GNC** Prediction of movement at laryngeal mask airway insertion: comparison of auditory evoked potentional index, bispectral index, spectral edge frequency and median frequency **203**
Donovan J *see* Sleigh JW **666**
Doré C *see* Vaughan DJA **451P**
Doré CJ *see* Shinner G **925**
Dravid R, Reed P, Stoneham M and **Popat M** Effects of cricoid pressure on insertion of and ventilation through a COPA: *abstract* **462P**
Drobin D *see* Svensén C **496**
Drolet P *see* Roux M **566**
Dryden C *see* Rae CP **427**
du Toit PW *see* Montoya-Pelaez LF **650**
Duch DS *see* Wartenberg HC **74**
Duggan M Adrenal failure in the critically ill: *correspondence* **153**
Dupont J, Tavernier B, Ghosez Y, Durinck L, Thevenot A, Moktadir-Chalons N, Ruyffelaere-Moises L, Declerck N and **Scherpereel P** Recovery after anaesthesia for pulmonary surgery: desflurane, sevoflurane and isoflurane **355**
Dureuil B *see* Molliex S **767**
Durinck L *see* Dupont J **355**
Durmaz E and **Laurence AS** An Audit of outcome after hyperbaric oxygentherapy for carbon monoxide poisoning: *abstract* **459P**
Dyer I *see* Saich C **792P**

Ebner E *see* Morlion B **52**
Ecoffey C *see* Wodey E **516**
Eichler W *see* Schumacher J **641**
Eidelman LA *see* Shamir M **178**
Eintrei C, Sokoloff L and **Smith CB** Effects of diazepam and ketamine administered individually or in combination on regional rates of glucose utilization in rat brain **596**
Eisenhofer G *see* Åneman A **838**
Eksborg S *see* Bergendahl **391**
Ellis FR Malignant hyperpyrexic syndrome: correspondece **299**
Ellis FR *see* Hall WJ **465P**
Elton CD, Guest C, Pallett EJ and **Rowbotham DJ** Effect of tramadol on gastric emptying of a liquid meal **471P**
Elwell CE *see* Owen-Reece H **418**
Engbers FHM *see* van den Nieuwenhuyzen MCO **580**
Engbers FHM *see* White M **333**
Engelke A *see* Schumacher J **641**
England A *see* Chin C **469P**
Enright SM *see* Barry BN **467P**
Erasmus PD *see* Ismail F **470P**
Evans PD *see* Germon TJ **831**
Evans R *see* Bastien O **104**

Fändriks L *see* Åneman A **838**
Farah E *see* Fradj K **208**
Farmery AD Mathematical coupling in research: *correspondence* **147**
Fassoulaki A, Sarantopoulos C,
Faust K *see* Lehmann A **140**
Fawcett WJ, Ward SA and **Whipp BJ** Effect of exercise on body carbon dioxide dynamics during and after volitional hyperventilation: *abstract* **463P**
Feiss P *see* Karoutsos S **175**
Ferguson CN *see* O'Leary MJ **843**
Fernandes JR *see* Vaughan DJA **451P**
Fernando R *see* Hallworth SP **228**
Finke W *see* Morlion B **52**
Fischler M *see* Dalibon N **97**
Fisher MM, Merefield D and **Baldo B** Failure to prevent an anaphylactic reaction to a second neuromuscular blocking drug during anaesthesia **770**
Fitch W Central pain: a Neurosurgical Challenge: *book review* **955**
Fletcher R *see* Smith RPR **460P**
Fletcher SN *see* Ghosh IR **800P**
Fletcher SN, Kennedy DD, Ghosh IR, Misra PV, Coakley JH and **Hinds CJ** Assessment of neuromuscular function in long-term survivors of prolonged critical illness: *abstract* **798P**
Floman Y *see* Shamir M **178**
Foëx P *see* Howell SJ **458P;** Howell SJ **679;** Ross S **622;** Sear JW **457P**
Foley PT, Baldock GJ and **Brett SJ** Impact of changes in staffing and organization of an intensive care unit on outcome: *abstract* **792P**
Ford SMS, Unsworth-White MJ, Aziz T, van Besouw JP, Bevan D and **Treasure T** A prospective, minimized study of platelet pheresis in cardiac surgery: *abstract* **456P**
Forde S, Kumar N, Marcus R and **Thompson J** Effect of remifentanilon cerebral blood flow, carbon dioxide reactivity and cerebral pressure autoregulation: *abstract* **454P**
Forsling ML *see* Holdcroft A **469P**

Fouqueray B *see* Lentschener C **691**
Fox AJ *see* Hall AP **857**
Foxcroft DR *see* Ismail F **470P**
Fradj K, Samain E, Delefosse D, Farah E and **Marty J** Placebo-controlled study of inhaled nitric oxide to treat hypoxaemia during one-lung ventilation **208**
Franco D *see* Lentschener C **691**
Friberg P *see* Åneman A **838**
Frischhut B *see* Hobisch-Hagen P **503**
Frömmel M *see* Schenk P **444**
Frostell CG *see* Schedin U **182**
Fuchs-Buder T *see* Tramèr MR **379**
Fuchs-Buder T, Ziegenfuß T, Lysakowski K and **Tassonyi E** Antagonism of vecuronium-induced neuromuscular block in patients pretreated with magnesium sulphate: dose-effect relationship of neostigmine **61**
Fujii Y Methodological problems arising from 'serial publishing' on the effectiveness of granisetron in PONV: *correspondence* **482**
Fujii Y *see* Saitoh Y **329**
Funk W, Gruber M, Wild K and **Hobbhahn J** Dry soda lime markedly degrades sevoflurane during simulated inhalation induction **193**
Fusco P *see* Capogna G **371**

Gajraj RJ *see* Doi M **203**
Gajraj RJ, Doi M, Mantzaridis H and **Kenny GNC** Comparison of bispectral EEG analysis and auditory evoked potentials for monitoring depth of anaesthesia during propofol anaesthesia **672**
Gallacher T, Manji M, Blyden S, Hallissey M, Nash G and **Bion J** Preliminary report of a prospective observational study of the factors involved in the pathogenesis of organ system failure: *abstract* **786P**
Galletly DC *see* Larsen PD **546**; Larsen PD **685**
Galley HF *see* Le Cras AE **450P**
Gao F, Harris DNF and **Sapsed-Byrne S** Time-course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting **266**
Gardiner J *see* Harmon D **387**
Garfield MJ, Jeffrey R and **Ridley SA** Is a nurse to patient ratio of 1:2 high enough for a high dependency unit?: *abstract* **791P**
Gascoigne AD *see* Smith L **789P**
Gedney JA *see* Barry BN **467P**
Germann R *see* Haisjackl M **738**
Germon TJ, Evans PD, Barnett NJ, Wall P, Manara AR and **Nelson RJ** Cerebral near infrared spectroscopy: emitter–detector separation must be increased **831**
Ghosez Y *see* Dupont J **355**
Ghosh IR and **Kiff K** Referral practice for neurological investigations in the ICU: *abstract* **800P**
Ghosh IR *see* Fletcher SN **798P**
Ghosh IR, Fletcher SN, Kennedy DD, Coakley JH and **Hinds CJ** Follow-up EMG in critical illness neuromuscular disorders: *abstract* **800P**
Giampalmo M *see* Brimacombe J **708**
Giannini A and **Bricchi M** Posterior fossa surgery in the sitting position in a pregnant patient with cerebellopontine angle meningioma **941**
Giannoudis PV, Smith RM, Windsor AJ and **Bellamy MC** Monocyte HLA-DR expression and Il-10 release after blunt trauma: *abstract* **468P**
Gibson FAM Reduce dose of NSAIDs in the elderly: *correspondence* **303**
Gilbertson AA Placebo trails: a time for change?: *correspondence* **951**
Gillies DF *see* Rodriguez MAF **464P**
Gillon J *see* Levack ID **161**
Gilly H *see* Hiesmayr MJ **647**
Girard M *see* Roux M **566**
Girling KJ *see* Skinner **542**
Glaisyer HR *see* Lee J **639**
Glen ACA *see* Noble JS **41**
Goldacre M *see* Howell SJ **458P**; Howell SJ **679**
Goldstone J *see* Bellingan G **785P**
Goldstone JC *see* Owen-Reece H **418**
Gommers D *see* Hartog A **81**
Goodman NW *see* Watters MPR **295**
Gooi H *see* Barry BN **467P**
Goulden MR and **Hunter JM** Rapacuronium (Org 9487): do we have a replacement for succinylcholine?: *editorial* **489**
Grange C *see* Low J **809**
Grant S Intubating conditions after propofol and remifentanil: *correspondence* **649**
Greenberg RS and **Kay NH** Cuffed oropharyngeal airway (COPA) as an adjunt to fibreoptic tracheal intubation **395**
Greer R *see* Russell W **803P**
Greim CA *see* Kranke P **481**
Grenier Y *see* Roux M **566**
Griffiths RD *see* Jones C **793P**; Jones C **794P**; Jones C **797P**
Groeneveld ABJ *see* Bams JL **33**
Grossman AB *see* O'Leary MJ **271**
Grouille D *see* Karoutsos S **175**
Grounds RM Irwin and Rippe's Intensice Care Medicine: *book review* **654**
Gruber M *see* Funk W **193**; Hoerauf KH **268**
Guest C *see* Elton CD **471P**
Guiraud M and **Chassard D** Intubating conditions after propofol and remifentanil: *correspondence* **649**
Gulbis B *see* Cooper J **929**
Guldager H *see* Callesen T **881**
Gupta AK *see* Coles JP **453P**
Gupta AK, Hutchinson PJ, Al-Rawi P, Gupta S, Swart M, Kirkpatrick PJ and **Menon DK** Effects of arterial carbon dioxide changes on brain tissue oxygenation and tissue hydrogen ion concentration in head injured patients: *abstract* **789P**
Gupta S *see* Gupta AK **789P**
Gustafsson LE *see* Schedin U **182**
Gwinnutt C *see* Haslett R **805P**

Haeselar G *see* Leuwer M **472P**
Hahn RG *see* Olsson J **250**
Hahn RG *see* Svensén C **496**
Haisjackl M, Germann R, Hasibeder W, Schwarz B, Salak N, Pajk W, Bonatti J, Nussbaumer W, Klima G, Kox W and **Mutz N** Mucosal tissue oxygenation of the porcine jejunum during normothermic cardiopulmonary bypass **738**
Hakala P, Randell T and **Valli H** Comparison betweem tracheal tubes for orotracheal fibreoptic intubation **135**
Halfpenny DM, Callado LF and **Stamford JA** Is tramadol an antidepressant?: *correspondence* **480**
Hall AP, Fox AJ, Raphael JH, Nandwani N and **Smith G** Upper airway reactivity and upper respiratory tract infection: effect of nebulized lidocaine **857**
Hall LW Malignant hyperpyrexic syndrome: *correspondence* **299**
Hall WJ, McCall SH, Hopkins PM, Curran JL, Halsall PJ, Iles DE, Robinson RL, Markham AF, West SP and **Ellis FR** A genome search in a large UK malignant hyperthermia family: *abstract* **465P**
Hallet A, Homewood J, Handel J and **McAteer P** An audit of the quality of communication between medical staff and relatives of intensive care patients: *abstract* **797P**
Hallissey M *see* Gallacher T **786P**
Hallworth SP, Fernando R, Bell R, Parry MG and **Lim GH** Comparison of intrathecal and epidural diamorphine for elective Caesarean section using a combined spinal–epidural technique **228**
Halsall PJ *see* Hall WJ **465P**
Halsey MJ *see* Sewell JC **470P**
Hamaoka N *see* Oda Y **900**
Hamilton DL *see* Davies LA **723**
Hammarén E, Rosenberg PH and **Hynynen M** Coating of extracorporeal circuit with heparin does not prevent sequestration of propofol *in vitro* **38**
Hammer NA, Lillesø J, Pederson JL and **Kehlet H** Effect of riluzole on acute pain and hyperalgesia in humans **718**
Hancock PJ and **Stamford JA** Stereospecific effects of ketamine on dopamine efflux and uptake in the rat nucleus accumbens **603**
Handel J *see* Hallet A **797P**
Harding R *see* Barrios A **798P**
Hardman JG and **Bedforth NM** Estimating venous admixture using a physiological simulator **346**
Hardy L *see* Haslett R **805P**
Harmon D, Gardiner J, Harrison R and **Kelly A** Acupressure and the prevention of nausea and vomiting after laparoscopy **387**

Harrington J *see* Thomas EO **803P**
Harris DNF *see* Gao F **266**
Harrison R *see* Harmon D **387**
Harrison SM *see* Davies LA **723**
Harrison SM, Robinson M, Davies LA, Hopkins PM and **Boyett MR** Mechanisms underlying the inotrpic action of halothane on intact rat ventricular myocytes **609**
Hart CA *see* Baines PB **802P**
Harth M *see* Hoerauf KH **764**
Hartog A, Vazquez de Anda GF, Gommers D, Kaisers U, Verbrugge SJC, Schnabel R and **Lachmann B** Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**
Hartsilver EL, Vanner RG, Bewley J, and **Clayton T** Gastric pressure during emergency Caesarean section under general anaesthesia **752**
Hase I *see* Oda Y **900**
Hashimoto Y *see* Hirota K **87**
Hasibeder W *see* Haisjackl M **738**
Haslett R, Hardy L, Gwinnutt C and **McCluskey A** Clinical evaluation of the Pneupac Ventipac portable ventilator in critically ill patients: *abstract* **805P**
Hatfield A and **Bodenham A** Portable ultrasound for difficult central venous access **822**
Hatfield A, Atkins M, Bodenham A and **Murphy P** Organ donation in a tertiary referral hospital: 1 yr experience: *abstract* **794P**
Heales *see* Brealey D **786P**
Hedenstierna G *see* Rothen HU **551**
Hedlund C *see* Writer WDR **652**
Hempelmann G *see* Olschewski A **435**
Heneghan CPH Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block: *correspondence* **303**
Henneberg SW *see* Jensen EW **25; Rømsing J** 637
Hewins P *see* Barrios A **798P**
Hewitt PB, Chu DLK, Polkey CE and **Binnie CD** Effect of propofol on the electrocorticogram in epileptic patients undergoing cortical resection **199**
Hiesmayr MJ and **Gilly H** Proportional and continuous NO delivery systems: *correspondence* **647**
Hiller A, Karjalainen K, Balk M and **Rosenberg PH** Transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine or general anaesthesia **575**
Hinds CJ *see* Fletcher SN **798P;** Ghosh IR **800P;** Martin R **807; O'Leary MJ** 271
Hirota K, Hashimoto Y, Sato T, Yoshioka H, Kudo T, Ishihara H and **Matsuki A** I.v. lidocaine worsens histamine-induced bronchoconstriction in dogs **87**
Hjort D *see* Callesen **586**
Ho ST, Wang JJ, Liaw WJ, Lee HK and **Lee SC** Surgical pain attenuates acute morphine tolerance in rats **112**
Hobbhahn J *see* Funk W **193; Rödig G** 525
Hobbs GJ *see* Kyriakides K **439**
Hobisch-Hagen P, Wirleitner B, Mair J, Luz G, Innerhofer P, Frischhut B, Ulmer H and **Schobersberger W** Consequences of acute normovolaemic haemodilution on haemostasis during major orthopaedic surgery **503**
Hoerauf KH, Schrögendorfer KF, Wiesner G, Gruber M, Spacek A, Kress H-G and **Rüdiger HW** Sister chromatid exchange in human lymphocytes exposed to isoflurane and nitrous oxide *in vitro* **268**
Hoerauf KH, Wiesner G, Schroegendorfer KF, Jobst BP, Spacek A, Harth M, Sator-Katzenschlager S and **Rüdiger HW** Waste anaesthetic gases induce sister chromatid exchanges in lymphocytes of operating room personnel **764**
Hoffmann A *see* Langbein T **66**
Holdcroft A *see* Ciccone GK **255**
Holdcroft A, Ma D, Sapsed-Byrne S and **Forsling ML** Sex differences in stimulation pressure but not vasopressin release in visceromotor responses to colonic distension in rats anaesthetized with halothane: *abstract* **469P**
Holder R *see* Sonksen JR **360**
Hollos L and **Bhala BB** The intubating laryngeal mask and distorted airway anatomy: *correspondence* **811**
Homewood J *see* Hallet A **797P**
Homma Y, Ichinohe T and **Kaneko Y** Oral mucosal blood flow, plasma epinephrine and haemodynamic responses after injection of lidocaine with epinephrine during midazolam sedation and isoflurane anaesthesia **570**
Hopkins PM *see* Davies LA **723;** Hall WJ **465P;** Harrison SM **609**
Hough M *see* Knighton JD **152**
Houx OJ *see* Dijkstra JB **867**
Howell SJ *see* Sear J **458P;***e* Sear JW **457P**
Howell SJ, Sear JW, Sear YM, Yeates D, Goldacre M, and **Foex P** Risk factors for cardiovascular death within 30 days after anaesthesia and urgent or emergency surgery: a nested case-control study **679**
Howell SJ, Sear YM, Yeates D, Goldacre M, Sear JW and **Foëx P** β-Blockers and perioperative cardiovascular risk: *abstract* **458P**
Howells T *see* Andrews PJD **455P**
Huggins NJ Propofol and epilepsy: *correspondence* **952**
Hughes D *see* O'Hare R **283; O'Hare R** 954
Hulme GH and **Columb MO** Mortality of medical oncological patients admitted to intensive care: *correspondence* **807**
Humphris G *see* Jones C **793P;** Jones C **797P**
Hunter JM Time for a change: *editorial* **1**
Hunter JM *see* Goulden MR **489**
Hussain SK *see* Kyriakides K **439**
Hutchinson PJ *see* Gupta AK **789P**
Hynynen M *see* Hammarén E **38**

Ichinohe T *see* Homma Y **570**
Ide T *see* Nishino T **14; Nishino T** 812
Ikeda K *see* Katoh T **561**
Iles DE *see* Hall WJ **465P**
Ilkjær S *see* Nikolajsen L **306**
Im WM *see* Yoo KY **90**
Innerhofer P *see* Hobisch-Hagen P **503**
Innes JR and **Waterland J** Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block: *correspondence* **812**
Inomata S, Yaguchi Y, Taguchi M and **Toyooka H** End-tidal sevoflurane concentration for tracheal extubation (MAC_{EX}) in adults: comparison with isoflurane **852**
Ip-Yam C Blind intubation via the ILMA: what about accidental oesophageal intubation?: *correspondence* **479**
Ishihara H *see* Hirota K **87**
Ismail F, Erasmus PD, McDonald PF and **Foxcroft DR** Crossover, randomized, controlled study to compare the cuffed oropharyngeal airway (COPA) and the laryngeal mask airway (LMA) for establishing an airway by non-anaesthetists: *abstract* **470P**
Isono S *see* Nishino T **14; Nishino T** 812
Iwamoto T *see* Katoh T **561**

Jaais F *see* Chiu CL **757**
Jakobsson JG *see* Barr G **827**
James KS *see* McGrady E **305; Ure D** 277
James MFM *see* Ruttmann TG **110**
Janzen PRM, Christys A and **Vucevic M** Patient-controlled sedation using propofol in elderly patients in day-case cataract surgery **635**
Jauniaux E *see* Cooper J **929**
Jeelani NUO, Bostock A and **Yeoman P** Under-estimation of mortality in patients with severe head injury: *abstract* **799P**
Jeffrey R *see* Garfield MJ **791P**
Jensen EW, Nebot A, Caminal P and **Henneberg SW** Identification of casual relations between haemodynamic variables, auditory evoked potentials and isoflurane by means of fuzzy logic **25**
Jensen TS *see* Nikolajsen L **306**
Jeong CY *see* Yoo KY **90**
Jinks S, Antognini JF, Carstens E, Buzin V and **Simons C** Isoflurane can indirectly depress lumbar dorsal horn activity in the goat via action within the brain **244**
Jobst BP *see* Hoerauf KH **764**
Johnson F *see* Myles PS **591**
Jolles J *see* Dijkstra JB **867**
Jones C, Griffiths RD and **Humphris G** Factual memories of intensive care may reduce anxiety post-ICU: *abstract* **793P**
Jones C, Griffiths RD and **Waldmann C** Mobility problems encountered in intensive care outpatient clinics: *abstract* **794P**
Jones C, Griffiths RD and **Humphris G** Relatives are still very anxious 2 weeks after patients' intensive care discharge: *abstract* **797P**

Jones CS Effect of nitrous oxide on dyspnoea: *correspondence* **811**
Jones PA *see* Andrews PJD **455P**
Jordan LVM *see* Noble JS **41**
Jurecka W *see* Sirtl C **510**

Kaisers U *see* Hartog A **81**
Kalso E *see* Perttunen K **221**
Kameyama K, Aono K and **Kitamura K** Isoflurane inhibits neuronal Ca2+ channels through enhancement of current inactivation **402**
Kaneko Y *see* Homma Y **570**
Kaplan L *see* Shamir M **178**
Karabinis G and **Melemeni A** Effect of EMLA on pain after breast surgery for cancer: *abstract* **456P**
Karabinis G *see* Fassoulaki A **456P**
Karaya D, Baris S and **Tür A** Pulmonary artery catheter-induced right ventricular perforation during coronary artery bypass surgery **953**
Karjalainen K *see* Hiller A **575**
Karoutsos S, Nathan N, Lahrimi A, Grouille D, Feiss P and **Cox DJA** Thrombelastogram reveals hypercoagulability after administration of gelatin solution **175**
Katoh T, Nakajima Y, Moriwaki G, Kobayashi S, Suzuki A, Iwamoto T, Bito H and **Ikeda K** Sevoflurane requirements for tracheal intubation with and without fentanyl **561**
Kavan J *see* Leuwer M **472P**
Kay NH *see* Greenberg RS **395**
Keens SJ *see* Wilson D **466P**
Kehlet H *see* Bay-Nielsen M **280**; Callesen T **586**; Callesen T **881**; Hammer NA **718**
Keller C and **Brimacombe J** Mucosal pressures from the cuffed oropharyngeal airway *vs* the laryngeal mask airway **922**
Keller C *see* Brimacombe J **703**; Brimacombe J **708**
Keller C, Brimacombe J and **Benzer A** Calculated *vs* measured pharyngeal mucosal pressures with the laryngeal mask airway during cuff inflation: assessment of four locations **399**
Keller C, Brimacombe J, Coorey A, Wood V and **Keller K** Liability of laryngeal mask airway devices to thermal damage from KTP and Nd:YAG lasers **291**
Keller C, Brimacombe JR, Keller K and **Morris R** Comparison of four methods for assessing airway sealing pressure with the laryngeal mask airway in adult patients **286**
Keller K *see* Keller C **286**; Keller C **291**
Kelly A *see* Harmon D **387**
Kemp P *see* Rehmann RH **307**
Kennedy DD *see* Fletcher SN **798P**; Ghosh IR **800P**
Kenny GNC *see* Doi M **203**; Gajraj RJ **672**; Murdoch JAC **429**; White M **333**
Keyl C *see* Rödig G **525**
Kiff K *see* Ghosh IR **800P**
Kihara S, Mizutani T, Shimizu T and **Toyooka H** Bleeding from a tear in the gastric mucosa caused by transoesophageal echocardiography during cardiac surgery: effective haemostasis by endoscopic argon plasma coagulation **948**
Kilvington RA *see* Steele APH **790P**
King N *see* Powell RM **796P**
Kinsella J *see* Millar AY **300**; Rae CP **427**
Kirkby J, Russell P, Sneyd JR, Langton JA and **Moate RM** Electron microscopy of respiratory ciliated epithelium: *abstract* **464P**
Kirkpatrick PJ *see* Gupta AK **789P**
Kirstetter P *see* Lagneau F **938**
Kitamura K *see* Kameyama K **402**
Kjeldsen C *see* Rømsing J **637**
Klarskov B *see* Bay-Nielsen M **280**
Klima G *see* Haisjackl M **738**
Klobucar Fv *see* Dahaba AA **780**
Klotz K-F *see* Schumacher J **641**
Knighton JD *see* Stoneham MD **910**
Knighton JD, Woodock TE and **Hough M** Adrenal failure in the critically ill: *correspondence* **152**
Kobayashi S *see* Katoh T **561**
Kobayashi T *see* Tsubokawa T **473**
Kogner P *see* Bergendahl **391**
Koh KF *see* Cheong KF **920**
Kokki H *see* Nikanne E **886**
Kokri MS *see* Cooper DW **366**
Kong KL *see* Sonksen JR **360**

Kostamovaara P and **Nuttinen L** Reduce dose of NSAIDs in the elderly: *correspondence* **303**
Kox W *see* Haisjackl M **738**
Kraft D *see* Sirtl C **510**
Kranke P, Apfel CC, Greim CA and **Roewer N** Methodological problems arising from 'serial publishing' on the effectiveness of granisetron in PONV: *correspondence* **481**
Kranz A *see* Schenk P **444**
Krebs IACh *see* Schöfnagl **647**
Kress H-G *see* Hoerauf KH **268**
Kristensen PA *see* Perner A **137**
Krohn CD, Reikerås O and **Mollnes TE** Complement activation and increased systemic and pulmonary vascular resistance indices during infusion of postoperatively drained untreated blood **47**
Kudo T *see* Hirota K **87**
Kumar CM and **Lawler PG** Pulmonary oedema after peribulbar block **777**
Kumar N *see* Forde S **454P**
Kuo C-D *see* Chen G-Y **932**
Kurata J *see* Miyazaki Y **935**
Kwak SH *see* Yoo KY **90**
Kyriakides K, Hussain SK and **Hobbs GJ** Management of opioid-induced pruritus: a role for 5-HT_3 antagonists? **439**

Lachmann B *see* Hartog A **81**; Tusman G **8**
Lagneau F, Kirstetter P, Bernard C and **Marty J** Effect of mild hypothermia on the vascular actions of phenylephrine in rat aortic rings **938**
Lahrimi A *see* Karoutsos S **175**
Lambert DG *see* Buggy DJ **448P**
Land J *see* Brealey D **786P**
Landault C *see* Lentschener C **691**
Lang J *see* Lehmann A **140**
Langbein T, Sonntag H, Trapp D, Hoffmann A, Malms W, Röth E-P, Mörs V and **Zellner R** Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
Langeron O, Vivien B, Paqueron X, Saillant G, Riou B, Coriat P and **Lille F** Effects of propofol, propofol-nitrous oxide and midazolam on cortical somatosensory evoked potentials during sufentanil anaesthesia for major spinal surgery **340**
Langford R *see* Budd K **493**
Langton JA *see* Kirkby J **464P**
Larsen PD, Booth P and **Galletly DC** Cardioventilatory coupling in atrial fibrillation **685**
Larsen PD, Trent EL and **Galletly DC** Cardioventilatory coupling: effects of IPPV **546**
Laubenthal H *see* Sirtl C **510**
Laurence AS *see* Durmaz E **459P**; Wilson D **466P**
Lawler PG *see* Kumar CM **777**
Laxton CH, Milner Q and **Murphy PJ** Haemodynamic changes after tracheal intubation in cigarette smokers compared with non-smokers **442**
Le Cras AE, Galley HF, Logan SD and **Webster NR** Dynamic effects of halothane and pentobarbital on nitric oxide in the rat spinal cord: *abstract* **450P**
Leary TS *see* Coles JP **453P**
Lebovits AH, Twersky R and **McEwan B** Intraoperative therapeutic suggestions in day-case surgery: are there benefits for postoperative outcome? **861**
Lee A *see* Walsh TS **149**
Lee HK *see* Ho ST **112**
Lee J *see* Yoo KY **90**
Lee J, Lovell AT, Parry MG, Glaisyer HR and **Bromley LM** I.v. clondine: does it work as a hypotensive agent with inhalation anaesthesia? **639**
Lee MT Logbooks and the 'millenium bug': *correspondence* **814**
Lee SC *see* Ho ST **112**
Lees G Consciousness and molecular mechanisms of anaesthesia: *correspondence* **648**
Lees J *see* Diemunsch P **274**
Lehmann A, Faust K, Boldt J, Lang J, Thaler E and **Werling C** Dynamic cardiomyoplasty in patients with end-stage heart failure: anaesthetic considerations **140**
Lehot JJ *see* Bastien O **104**

Lentschener C, Franco D, Bouaziz H, Mercier FJ, Fouqueray B, Landault C, Mazoit JX and **Benhamou D** Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**
Leslie NAP *see* Powell RM **796P**
Leuwer M, Haeselar G, Kavan J, Nentwig B, Wuerz A, Dengler R and **Piepenbrock S** 4-Chloro-m-cresol (4-CmC) is a potent blocker for normal (WT), paramyotonia congentia (R1448H) and hyperkalaemic periodic paralysis (M1360V) mutant muscle sodium channels: *abstract* **472P**
Levack ID and **Gillon J** Intraoperative conservation of red cell mass: controlled hypotension of haemodilution–not necessarily mutually exclusive?: *editorial* **161**
Liam B-L *see* Plöchl W **237**
Liaw WJ *see* Ho ST **112**
Liddle A *see* Sadler PJ **432**
Liebenberg CS, Raw R, Lipman J, Moyes DG and **Cleaton-Jones PE** Small tidal volume ventilation using a zero deadspace tracheal tube **213**
Liebold A *see* Rödig G **525**
Lille F *see* Langeron O **340**
Lillesø J *see* Hammer NA **718**
Lim GH *see* Hallworth SP **228**
Lipman J *see* Liebenberg CS **213**
List WF *see* Dahaba AA **780**
Liu EHC and **Dhara SS** Sevoflurane anaesthesia with an Oxford Miniature Vaporizer in vaporizer inside circle mode **557**
Llubià C *see* Canet J **847**
Lo H-M *see* Chen G-Y **932**
Logan M *see* Walpole R **20**
Logan SD *see* Le Cras AE **450P**
Lönnqvist PA *see* Bergendahl **391;** Richardson J **149**
Lopez-Gil M, Brimacombe J and **Brain AIJ** Preliminary evaluation of a new prototype laryngeal mask in children **132**
Lovell AT *see* Lee J **639**
Low J and **Grange C** Anaesthesia for Caesarean section in severe pulmonary hypertension: *correspondence* **809**
Lowry DW *see* McCourt KC **755**
Lucas DN *see* Nickells JS **305**
Ludbrook GL *see* Upton RN **890**
Luz G *see* Hobisch-Hagen P **503**
Lyng KM *see* Perner A **137**
Lyons G *see* Capogna G **371**
Lysakowski K *see* Fuchs-Buder T **61**

Ma D *see* Holdcroft A **469P**
Ma D, Chakrabarti MK and **Whitwam JG** Propofol, bradycardia and the Bezold-Jarisch relfex in rabbits **412**
MacDonnell SP *see* O'Leary MJ **843**
Macmillan CSA and **Andrews PJD** ECG Qtc dispersion in acute aneurysmal subarachnoid haemorrhage requiring intensive care management: a predictor of cardiorespiratory compromise: *abstract* **454P**
Macnaughton P *see* Tanser S **806P**
Macnaughton PD *see* Powell CG **795P**
Magnusson A *see* Rothen HU **551**
Mahajan RP *see* Wills JS **461P**
Mailer K *see* Boldt J **170**
Mair J *see* Hobisch-Hagen P **503**
Makita K *see* Saitoh Y **329**
Maleck WH and **Petroianu GA** Autologous blood transfusion: *correspondence* **154**
Malins AF *see* Blayney MR **451P**
Malms W *see* Langbein T **66**
Manara AR *see* Germon TJ **831;** Simpson TP **804P**
Manji M *see* Gallacher T **786P;** Nath S **788P;** Saich C **792P**
Mansfield MD *see* Rae CP **427**
Mantzaridis H *see* Doi M **203;** Gajraj RJ **672**
Marcus R *see* Forde S **454P**
Mariani MA *see* Bams JL **33**
Markert U *see* Schumacher J **641**
Markham AF *see* Hall WJ **465P**
Marshall R *see* Bellingan G **785P**
Martin R and **Hinds CJ** Mortality of medical oncological patients admitted to intensive care: *correspondence* **807**
Marty J *see* Fradj K **208;** Lagneau F **938**
Marzouk O *see* Baines PB **802P**
Masaki Y *see* Oshima T **698**
Maslowski P *see* Sadler PJ **432**
Masterson G *see* Mostafa SM **476**
Matko I *see* Sato K **904**
Matsuki A *see* Hirota K **87**
Matta BF *see* Coles JP **453P**
Mayou BJ *see* Ames WA **746**
Mazoit JX *see* Lentschener C **691**
McAllister C Adrenocortical function and steroid therapy in critical illness: *correspondence* **474**
McArthur E *see* Cooper DW **366**
McAtamney D *see* O'Hare R **283;** O'Hare R **954**
McAteer P *see* Hallet A **797P**
McCall SH *see* Hall WJ **465P**
McClure JH An Atlas of Epidurograms: Epidural Blocks Investigated: *book reviews* **156**
McCluskey A *see* Haslett R **805P**
McCourt KC, Mirakhur RK, Lowry DW, Carroll MT, and **Sparr HJ** Spontaneous or neostigmine-induced recovery after maintenance of neuromuscular block with Org 9487 (rapacuronium) or rocuronium following an initial dose of Org 9487 **755**
McDonald PF *see* Ismail F **470P**
McEwan B *see* Lebovits AH **861**
McGeorge AD and **Williamson A** Sevoflurane anaesthesia for removal of chest drains: a case series: *abstract* **805P**
McGrady E, Quasim I, and **James KS** Epidural analgesia during labour: *correspondence* **305**
McMahon R *see* Myles PS **591**
McNeill M *see* Ure D **277**
McQuade BA *see* Diemunsch P **274**
McQuatt A *see* Andrews PJD **455P**
Mecklenburgh JS *see* Bowler I **453P**
Medbak S *see* O'Leary MJ **271**
Melemeni A *see* Fassoulaki A **456P**
Mellinghoff H *see* Sparr HJ **537**
Menichetti A *see* Mercieri M **531**
Menon DK *see* Coles JP **453P;** Gupta AK **789P**
Mercier FJ *see* Lentschener C **691**
Mercieri A *see* Mercieri M **531**
Mercieri M, Mercieri A, Tritapepe L, Ruggeri M, Arcioni R, Repetto M, Bottari B and **Menichetti A** High-dose aprotinin with gentamicin-vancomycin antibiotic prophylaxis increases blood concentrations of creatinine and cystatin C in patients undergoing coronary artery bypass grafting **531**
Merefield D *see* Fisher MM **770**
Millar AY and **Kinsella J** Pre-emtive analgesia–why the evidence is conflicting: *correspondence* **300**
Millar SA, Alston RP, Souter MJ and **Andrews PJD** Continuous monitoring of jugular bulb oxyhaemoglobin saturation using the Edslab dual lumen oximetry catheter during and after cardiac surgery **521**
Miller BM Epidural analgesia during labour: *correspondence* **304**
Miller CD *see* Price SR **153**
Milner Q *see* Laxton CH **442**
Mirakhur RK *see* McCourt KC **755;** O'Hare R **283;** O'Hare R **954**
Misra PV *see* Fletcher SN **798P**
Mittenmayer C *see* Schenk P **444**
Mitzutani K *see* Oda Y **900**
Miyazaki Y, Adachi T, Kurata J, Utsumi J, Shichino T and **Segawa H** Dexmedetomidine reduces seizure threshold during enflurane anaesthesia in cats **935**
Mizutani T *see* Kihara S **948**
Moate RM *see* Kirkby J **464P**
Mogensen T *see* Callesen **586**
Moktadir-Chalons N *see* Dupont J **355**
Molliex S, Crestani B, Dureuil B, Rolland C, Aubier M and **Desmonts JM** Differential effects of isoflurane and i.v. anaesthetic agents on metabolism of alveolar type II cells **767**
Mollnes TE *see* Krohn CD **47**
Monteiro J *see* Coles JP **453P**
Montoya-Pelaez LF, du Toit PW, Nordlund DM and **van den Berg AA** Mental nerve neuropraxia associated with tracheal intubation using an RAE tube: *correspondence* **650**

Moore DC Myelopathy after hyperbaric local anaesthetics used for continuous spinal anaesthesia is iatrogenic: *correspondence* **479**
Morgan BM *see* Collis RE **233**
Moriwaki G *see* Katoh T **561**
Morlion B, Ebner E, Weber A, Finke W and **Puchstein C** Influence of bolus size on efficacy of postoperative patient-controlled analgesia with piritramide **52**
Morris R *see* Keller C **286**
Morrow MJ and **Black IH** Epidural anaesthesia for Caesarean section in an achondroplastic dwarf: *correspondence* **302**
Mörs V *see* Langbein T **66**
Morshuis WJ *see* van Dongen EP **323**
Morton NS and **O'Brien K** Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**
Moss R *see* Nathan AT **802P**
Mostafa SM, Masterson G and **Diver MJ** Adrenocortical function and steroid therapy in critical illness: *correspondence* **476**
Moyes DG *see* Liebenberg CS **213**
Murdoch JAC and **Kenny GNC** Patient-maintained propofol sedation as premedication in day-case surgery: assessment of a target-controlled system **429**
Murdoch S *see* Barry BN **467P**
Murphy P *see* Hatfield A **794P**
Murphy PJ *see* Laxton CH **442**
Mutch M *see* Chapman M **787P**
Mutz N *see* Haisjackl M **738**
Myles PS, Bain DL, Johnson F and **McMahon R** Is anaesthesia evidence-based? A survey of anaesthetic practice **591**
Mythen MG *see* Chapman M **787P;** Woolf RL **299**

Naguib M and **Samarkandi AH** Premedication with melatonin: a double-blind, placebo-controlled comparison with midazolam **875**
Nakajima Y *see* Katoh T **561**
Nakamoto T *see* Oda Y **900**
Nandwani N *see* Hall AP **857**
Narumi Y *see* Saitoh Y **329**
Nash G *see* Gallacher T **786P**
Nath S, Belligan G, Clutton-Brock T, Manji M and **Rosser DM** Effect of hypoxia on respiratory chain function in hepatocytes: *abstract* **788P**
Nathan A *see* Brealey D **786P**
Nathan AT, Stidwill RP, Moss R and **Singer M** Hypoxia—reoxygenation injury: impact on survival and outcome: *abstract* **802P**
Nathan AW *see* O'Leary MJ **271**
Nathan N *see* Karoutsos S **175**
Nathanson MH *see* Skinner **542**
Nebot A *see* Jensen EW **25**
Nelson RJ *see* Germon TJ **831;** Simpson TP **804P**
Nentwig B *see* Leuwer M **472P**
Neumann P *see* Rothen HU **551**
Nickells JS, Vaughan DJA, Lucas DN and **Robinson PN** Epidural analgesia during labour: *correspondence* **305**
Nielsen D *see* Callesen **586;** Callesen T **881**
Nikanne E, Kokki H and **Tuovinen K** Postoperative pain after adenoidectomy in children **886**
Nikolajsen L, Jensen TS and **Ilkjær S** Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Nilsson E *see* Perttunen K **221**
Nishikawa T *see* Tanaka M **350**
Nishimura K *see* Tsubokawa T **473**
Nishino T, Isono S and **Ide T** A low concentration of nitrous oxide reduces dyspnoea produced by a combination of hypercapnia and severe elastic load **14**
Nishino T, Isono S and **Ide T** Effect of nitrous oxide on dyspnoea: *correspondence* **812**
Nitesu P *see* Åneman A **838**
Noble JS, Reid AM, Jordan LVM, Glen ACA and **Davidson JAH** Troponin I and myocardial injury in the ICU **41**
Nöldge-Schomburg G *see* Sparr HJ **537**
Norberg L, Bäckström T and **Wahlström G** Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**
Nordlund DM *see* Montoya-Pelaez LF **650**
Norman J Assessing paralysis: *editorial* **321**
Norman J *see* Sansome AJ **315**
Nussbaumer W *see* Haisjackl M **738**
Nuttinen L *see* Kostamovaara P **303**

O'Hare R, McAtamney D, Mirakhur RK, Hughes D and **Carabine U** Bolus dose remifentanil for control of haemodynamic response to tracheal intubation during rapid sequence induction of anaesthesia **283**
O'Leary MJ, Timmins AC, Appleby JN, Medbak S, Grossman AB, Nathan AW and **Hinds CJ** Dissociation of pituitary—adrenal and catecholamine activation after induced cardiac arrest and defibriliation **271**
O'Brien K *see* Morton NS **715**
O'Hare, McAtamney, Mirakhur RK, Hughes D and **Carabine U** Remifentanil and rapid sequence induction **954**
O'Leary MJ, MacDonnell SP and **Ferguson CN** Oxygenator exhaust capnography as an index of arterial carbon dioxide tension during cardiopulmonary bypass using a membrane oxygenator **843**
Oda Y, Mitzutani K, Hase I, Nakamoto T, Hamaoka N and **Asada A** Fentanyl inhibits metabolism of midazolam: competitive inhibition of CYP3A4 *in vitro* **900**
Olbe L *see* Åneman A **838**
Olschewski A, Olschewski H, Bräu ME, Hempelmann G, Vogel W and **Safronov BV** Effect of bupivacaine on ATP-dependent potassium channels in rat cardiomyocytes **435**
Olschewski H *see* Olschewski A **435**
Olsson J and **Hahn RG** Glycine toxicity after high-dose i.v. infusion of 1.5% glycine in the mouse **250**
Olsson J *see* Svensén C **496**
one extra intensive care bed compared with opening a high dependency unit: *abstract* **796P**
Oo A *see* Wang JYY **452P**
Orszulak TA *see* Plöchl W **237**
Orts CM *see* Smith L **789P**
Oshima T, Masaki Y and **Toyooka H** Flumazenil antagonizes midazolam-induced airway narrowing during nasal breathing in humans **698**
Öwall A *see* Barr G **827**
Owen-Reece H, Smith M, Elwell CE and **Goldstone JC** Near infrared spectroscopy: *review* **418**

Page RD *see* Wang JYY **452P**
Pajk W *see* Haisjackl M **738**
Palit T Anaesthesia for Caesarean section in severe pulmonary hypertension: *correspondence* **808**
Pallett EJ *see* Elton CD **471P**
Paloheimo M *see* Baer GA **812**
Papsdorf M *see* Boldt J **170**
Paqueron X *see* Langeron O **340**
Parry MG *see* Hallworth SP **228;** Lee J **639**
Patel A and **Bailey PM** The intubating laryngeal mask and distorted airway anatomy: *correspondence* **809**
Pederson JL *see* Hammer NA **718**
Pennefather SH *see* Wang JYY **452P**
Percy J *see* Yin B **288**
Perlas A *see* Al-Kaisy AA **217**
Perner A, Bugge K, Lyng KM, Schulze S, Kristensen PA and **Bendtsen A** Changes in plasma potassium concentration during carbon dioxide pneumoperitoneum **137**
Pernerstorfer T *see* Schenk P **444**
Perttunen K, Nilsson E and **Kalso E** I.v. diclofenac and ketorolac for pain after thoracoscopic surgery **221**
Petit B *see* Roux M **566**
Petroianu GA *see* Maleck WH **154**
Pidgeon C *see* Porter JM **116**
Piepenbrock S *see* Leuwer M **472P**
Piriou V *see* Bastien O **104**
Pizvoz R *see* Shamir M **178**
Plaat FS *see* Collis RE **233**
Plöchl W, Liam B-L, Cook DJ and **Orszulak TA** Cerebral response to haemodilution during cardiopulmonary bypass in dogs: the role of nitric oxide synthase **237**
Polkey CE *see* Hewitt PB **199**

Pomfrett CJD Heart rate variability, BIS and 'depth of anaesthesia': *editorial* **659**
Popat M *see* Dravid R **462P**
Porter JM, Pidgeon C and **Cunningham AJ** The sitting position in neurosurgery: a critical appraisal **116**
Powell CG and **Macnaughton PD** Does the acquisition of MRSA affect outcome of critically ill patients?: *abstract* **795P**
Powell RM, Leslie NAP, King N and **Spiers P** Effect on intensive care admission and discharge incidents–
Power I Recent Advances in Anaesthesia and Analgesia **484**
Power I *see* Smith G **817;** Yin B **288**
Prasser C *see* Rödig G **525**
Price SR and **Miller CD** Local anaesthesia for routine ocular surgery: *correspondence* **153**
Prys-Roberts C The Electronic Anesthesiology Library (TEAL) on CD-ROM (Vol 3: 1993-1997): *book review* **155**
Puchstein C *see* Morlion B **52**
Puddicome A *see* Bellingan G **785P**

Quasim I *see* McGrady E **305**
Quick D *see* Cooper J **929**

Rae CP, Mansfield MD, Dryden C and **Kinsella J** Analgesic effect of adenosine on ischaemic pain in human volunteers **427**
Randell T *see* Baer GA **812;** Hakala P **135**
Randhawa NA and **Bapat PP** Pre-emptive analgesia–why the evidence is conflicting: *correspondence* **300**
Raphael JH *see* Hall AP **857**
Ratheiser K *see* Schenk P **444**
Ravenscroft A and **Rout C** Epidural anaesthesia for Caesarean section in an achondroplastic dwarf: *correspondence* **301**
Raw R *see* Liebenberg CS **213**
Razek E and **Vohra A** An epidural scoring scale for arm movements (ESSAM): *abstract* **466P**
Reed P *see* Dravid R **462P**
Rehak PH *see* Dahaba AA **780**
Rehman RH and **Kemp P** Postoperative cognitive deficit in the elderly surgical patient **307**
Reid AM *see* Noble JS **41**
Reikerås O *see* Krohn CD **47**
Reilly CS *see* Brookes ZLS **449P;** Cressey DM **449P;** Cressey DM **462P**
Reilly N *see* Bellingan G **785P**
Repetto M *see* Mercieri M **531**
Reventlid H *see* Callesen **586**
Reynolds F *see* Reynolds F **808**
Richardson J Peripheral Nerve Blocks: Lower Limb, Peripheral Nerve Blocks: Upper Limb: *book review* **156**
Richardson J and **Lönnqvist PA** Thoracic paravertebral block: *correspondence* **149**
Ridley SA *see* Bradley P **791P;** Garfield MJ **791P**
Riordan FAI *see* Baines PB **802P**
Riou B *see* Dalibon N **97;** Langeron O **340**
Robinson M *see* Harrison SM **609**
Robinson PN *see* Nickells JS **305**
Robinson RL *see* Hall WJ **465P**
Rödig G, Prasser C, Keyl C, Liebold A and **Hobbhahn J** Continuous cardiac output measurement: pulse contour analysis vs thermodilution technique in cardiac surgical patients **525**
Rodrigues MAF, Gillies DF and **Charters P** Development of a physical model of the laryngoscopy procedure: *abstract* **464P**
Roewer N *see* Kranke P **481**
Rolland C *see* Molliex S **767**
Rømsing J, Henneberg SW, Walther-Larsen S and **Kjeldsen C** Tetracaine gel vs EMLA cream for percutaneous anaesthesia in children **637**
Rosenberg PH *see* Hammarén E **38;** Hiller A **575**
Ross S and **Foëx P** Protective effects of anaesthetics in reversible and irreversible ischaemia-reperfusion injury **622**
Rosser D *see* Saich C **792P**
Rosser DM *see* Nath S **788P**
Röth E-P *see* Langbein T **66**
Rothen HU, Neumann P, Berglund JE, Valtysson J, Magnusson A and **Hedenstierna G** Dynamics of re-expansion of atelectasis during general anaesthesia **551**
Rout C *see* Ravenscroft A **301**
Roux M, Drolet P, Girard M, Grenier Y and **Petit B** Effect of the laryngeal mask airway on oesophageal pH: influence of the volume and pressure inside the cuff **566**
Rowbotham DJ *see* Elton CD **471P;** Sadler PJ **432**
Rüdiger HW *see* Hoerauf KH **268;** Hoerauf KH **764**
Ruggeri M *see* Mercieri M **531**
Rundshagen I, Schnabel K, Standl T and **Schulte am Esch J** Patients' *vs* nurses' assessments of postoperative pain and anxiety during patient- or nurse-controlled analgesia **374**
Russell GN *see* Wang JYY **452P**
Russell P *see* Kirkby J **464P**
Russell W and **Greer R** Assessment of comfort of spontaneously breathing volunteers using various modes of assisted ventilation: *abstract* **803P**
Ruttmann TG, James MFM and **Wells KF** Effect of 20% *in vitro* haemodilution with warmed buffered salt solution and cerebrospinal fluid on coagulation **110**
Ruyffelaere-Moises L *see* Dupont J **355**
Ryall D *see* Cooper DW **366**

Saada M *see* Dalibon N **97**
Saarnivaara L *see* Tarkkila P **56**
Sadler PJ, Thompson HM, Maslowski P, Liddle A and **Rowbotham DJ** Iontophoretically applied lidocaine reduces pain on propofol injection **432**
Safronov BV *see* Olschewski A **435**
Saich C, Manji M, Dyer I and **Rosser D** Effect of introducing a sedation guideline on sedative costs per bed day: *abstract* **792P**
Saillant G *see* Langeron O **340**
Saitoh Y, Narumi Y, Fujii Y, Ueki M and **Makita K** Electromyographic assessment of neuromuscular block at the gastrocnemius muscle **329**
Salak N *see* Haisjackl M **738**
Saleh U *see* Cooper DW **366**
Samain E *see* Fradj K **208**
Samarkandi AH *see* Naguib M **875**
Sanchis J *see* Canet J **847**
Sansome AJ and **Norman J** Monitoring spinal chord function during aortic surgery: can we reduce the risks?: *editorial* **315**
Sapsed-Byrne S *see* Gao F **266;** Holdcroft A **469P**
Sarantopoulos C *see* Fassoulaki A **456P**
Sato K, Windisch K, Matko I and **Vizi ES** Effects of non-depolarizing neuromuscular blocking agents on norepinephrine release from human atrial tissue obtained during cardiac surgery **904**
Sato T *see* Hirota K **87**
Sator-Katzenschlager S *see* Hoerauf KH **764**
Saunders D Mathematics and Statistics in Anaesthesia: *book review* **815**
Schedin U, Frostell CG and **Gustafsson LE** Formation of nitrogen dioxide from nitric oxide and their measurement in clinically relevant circumstances **182**
Schenk P, Pernerstorfer T, Mittenmayer C, Kranz A, Frömmel M, Birsan T and **Ratheiser K** Inhalation of nitric oxide as a life-saving therapy in a patient after pumonary embolectomy **'111'**
Schenkels MJ *see* White M **333**
Schepens MA *see* van Dongen EP **323**
Scherpereel P *see* Dupont J **355**
Schlumberger S *see* Dalibon N **97**
Schnabel K *see* Rundshagen I **374**
Schnabel R *see* Hartog A **81**
Schobersberger W *see* Hobisch-Hagen P **503**
Schoeffler P *see* Diemunsch P **274**
Schöfnagl H and **Krebs IACh** Proportional and continuous NO delivery systems: *correspondence* **647**
Schouenborg L *see* Callesen **586;** Callesen T **881**
Schroegendorfer KF *see* Hoerauf KH **764;** Hoerauf KH **268**
Schulte am Esch J *see* Rundshagen I **374**
Schulze S *see* Perner A **137**
Schumacher J, Engelke A, Wagner K-F, Eichler W, Markert U and **Klotz K-F** Measurement of peripheral tissue thickness by ultrasound during the perioperative period **641**
Schuster P *see* Boldt J **170**
Schwarz B *see* Haisjackl M **738**
Scott DHT 'In the country of the blind, the one-eyed man is king' Erasmus (1466—1536) **820**

Scott NB *see* Absalom AR **474**
Sear J and **Howell SJ** A meta-analysis of studies of dobutamine stress echocardiography for assessment of peioperative risk: *abstract* **458P**
Sear J Safety of Anaesthetic Drugs: *book review* **309**
Sear JW *see* Howell SJ **458P**; Howell SJ **679**; Sewell JC **470P**
Sear JW, Foëx P and **Howell SJ** β-Adrenoceptor block and myocardial ischaemia revisited!: *abstract* **457P**
Sear YM *see* Howell SJ **458P**; Howell SJ **679**
Segal S and **Bader A** Ropivacaine and bupivacaine for analgesia in labour: *correspondence* **651**
Segawa H *see* Miyazaki Y **935**
Selander D *see* Denny NM **479**; Writer WDR **652**
Sewell JC, Sear JW and **Halsey MJ** Can electrostatic potential-activity models predict the potencies of i.v. general anaesthetic agents?: *abstract* **470P**
Shamir M, Eidelman LA, Floman Y, Kaplan L and **Pizov R** Pulse oximetry plethysmorgraphic waveform during changes in bloody volume **178**
Sharpe RM *see* Brunner MD **633**; Shinner G **925**
Sherry KM Minimally Invasive Cardiac Surgery: *book review* **654**
Shichino T *see* Miyazaki Y **935**
Shimizu T *see* Kihara S **948**
Shinner G, Sharpe RM, Thornton C, Doré CJ and **Brunner MD** Effect of bolus doses of alfentanil on the arousal response to intubation, as assessed by the auditory evoked response **925**
Short JA and **Cooper CMS** Suspected recurrence of malignant hyperthermia after postextubation shivering in the intensive care unit, 18 h after tonsillectomy **945**
Sills JA *see* Baines PB **802P**
Simons C *see* Jinks S **244**
Simpson KH Assessment and Treatment of Cancer Pain-Progress in Pain Research and Management, Vol. 12: *book review* **157**
Simpson TP, Nelson RJ and **Manara AR** Value of brain tissue oxygen monitoring in the early management of the severely head injured patient: *abstract* **804P**
Sinclair D *see* Tanser S **806P**
Singer M *see* Brealey D **786P**; Nathan AT **802P**
Sirtl C, Laubenthal H, Zumtobel V, Kraft D and **Jurecka W** Tissue deposits of hydroxyethyl starch (HES): dose-dependent and time-related **510**
Skelton VA Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Skinner HJ, Girling KJ, Whitehurst A and **Nathanson MH** Influence of metoclopramide on plasma cholinesterase and duration of action of mivacurium **542**
Sleeman D *see* Andrews PJD **455P**
Sleigh JW and **Donovan J** Comparison of bispectral index 95% spectral edge frequency and approximate entropy of the EEG, with changes in heart rate variability during induction of general anaesthesia **666**
Smith CB *see* Eintrei C **596**
Smith G *see* Hall AP **857**; Thompson JP **129**
Smith G, Power I and **Cousins MJ** Acute pain–is there scientific evidence on which to base treatment?: *editorial* **817**
Smith L, Orts CM, Batchelor AM, Gascoigne AD, Cook S and **Baudouin SV** Factors predicting hospital mortality in patients discharged from the ITU: *abstract* **789P**
Smith M Intracranial Pressure and Neuromonitoring in Brain Injury: *book review* **309**
Smith M *see* Owen-Reece H **418**
Smith Q Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block: *correspondence* **303**
Smith RM *see* Giannoudis PV **468P**
Smith RPR and **Fletcher R** Little effect of positive end-expiratory pressure on carbon dioxide elimination in humans after coronary artery bypass surgery: *abstract* **460P**
Sneyd JR Propofol and epilepsy: *correspondence* **952**
Sneyd JR Propofol and epilepsy: *editorial* **168**
Sneyd JR *see* Kirkby J **464P**
Sokoloff L *see* Eintrei C **596**
Sonksen JR, Kong KL and **Holder R** Magnitude and time course of impaired primary haemostasis after stopping chronic low and medium dose asprin in healthy volunteers **360**
Sonntag H *see* Langbein T **66**
Soueidi A *see* Baraka A **301**
Souter MJ *see* Millar **521**
Spacek A *see* Hoerauf KH **268**; Hoerauf KH **764**
Sparr HJ *see* Brimacombe J **708**; McCourt KC **755**
Sparr HJ, Mellinghoff H, Blobner M and **Nöldge-Schomburg G** Comparison of intubating conditions after rapacuronium (Org 9487) and succinylcholine following rapid sequence induction in adult patients **537**
Speight SE *see* Wilkes AR **461P**
Spence AA International Anestheiology Clinics. Back in Time. Selected Articles from 1962 to 1970: *book review* **957**
Spiers P *see* Powell RM **796P**
Spraggs CF *see* Diemunsch P **274**
Stacey M *see* Asai T **712**
Stamford JA *see* Halfpenny DM **480**; Hancock PJ **603**
Standl T *see* Rundshagen I **374**
Steele APH, Kilvington RA and **Stockwell MA** Adult general surgical patients have a 30% mortality rate after discharge from the intensive care unit: *abstract* **790P**
Stidwill RP *see* Nathan AT **802P**
Stienstra R *see* Writer WDR **652**
Stockwell MA *see* Steele APH **790P**
Stokes MA *see* Wee L **774**
Stoneham M *see* Dravid R **462P**
Stoneham MD and **Knighton JD** Regional anaesthesia for carotid endarterectomy: *review* **910**
Summors A *see* Coles JP **453P**
Suzuki A *see* Katoh T **561**
Svensén C, Drobin D, Olsson J and **Hahn RG** Stability of the interstitial matrix after crystalloid fluid loading studies by volume kinetic analysis **496**
Swart M *see* Gupta AK **789P**

Taguchi M *see* Inomata S **852**
Tanaka M and **Nishikawa T** Arterial baroreflex function in humans anaesthetized with sevoflurane **350**
Tanser S, Macnaughton P and **Sinclair D** Effect of dopexamine on gut permeability in the critically ill: *abstract* **806P**
Tarkkila P and **Saarnivaara L** Ketoprofen, diclofenac or ketorolac for pain after tonsillectomy in adults? **56**
Tassonyi E *see* Fuchs-Buder T **61**
Tavernier B *see* Dupont J **355**
Taylor IR Hazards of laparoscopic surgery: *correspondence* **651**
Taylor M *see* Cooper DW **366**
ter Beek HT *see* van Dongen EP **323**
Thaler E *see* Lehmann A **140**
Thevenot A *see* Dupont J **355**
Thomas EO, Wilson IH, Harrington J and **Day CJE** Intensive care unit chest x-ray interpretation: radiologist or intensivist?: *abstract* **803P**
Thompson HM *see* Sadler PJ **432**
Thompson J *see* Forde S **454P**
Thompson JP, Boyle JR, Thompson MM, Bell PRF and **Smith G** Nocturnal hypoxaemia and respiratory function after endovascular and conventional abdominal aortic aneurysm repair **129**
Thompson MM *see* Thompson JP **129**
Thomson APJ *see* Baines PB **802P**
Thornton C *see* Brunner MD **633**; Shinner G **925**; Vaughan DJA **451P**
Timmins AC *see* O'Leary MJ **271**
Toyooka H *see* Inomata S **852**; Kihara S **948**; Oshima T **698**
Tramèr MR and **Fuchs-Buder T** Omitting antagonism of neuromuscular block: effect on postoperative nausea and vomiting and risk of residual paralysis. A systematic review **379**
Trapp D *see* Langbein T **66**
Treasure T *see* Ford SMS **456P**
Trent EL *see* Larsen **546**
Tritapepe L *see* Mercieri M **531**
Tsai Y-S *see* Chen G-Y **932**
Tsubokawa T, Yamamoto K, Nishimura K, Yagi T and **Kobayashi T** Fat metabolism during propofol infusion: *correspondence* **473**
Tuovinen K *see* Nikanne E **886**
Tür A *see* Karaya D **953**
Tusman G, Böhm SH, Vazquez de Anda GF, do Campo JL and **Lachmann B** 'Alveolar recruitment strategy' improves arterial oxygenation during general anaesthesia **8**
Twersky R *see* Lebovits AH **861**

Ueki M *see* Saitoh Y **329**
Ulmer H *see* Hobisch-Hagen P **503**
Umo-Etuk J *see* Brunner MD **633**
Unsworth-White MJ *see* Ford SMS **456P**
Upton RN and **Ludbrook GL** A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**
Urban BW *see* Wartenberg HC **74**
Ure D, James KS, McNeill M and **Booth JV** Glycopyrrolate reduces nausea during spinal anaesthesia for Caesarean section without affecting neonatal outcome **277**
Urwin S *see* Bradley P **791P**
Utsumi J *see* Miyazaki Y **935**

Valli H *see* Hakala P **135**
Valtysson J *see* Rothen HU **551**
van Besouw JP *see* Ford SMS **456P**
van den Berg AA *see* Montoya-Pelaez LF **650**
van den Nieuwenhuyzen MCO, Engbers FHM, Burm AGL, Vletter AA, van Kleef JW and **Bovill JG** Targert-controlled infusion of alfentanil for postoperative analgesia: contribution of plasma protein binding to intra-patient and inter-patient variability **580**
van Dongen EP, ter Beek HT, Schepens MA, Morshuis WJ, de Boer A, Aarts LP and **Boezeman EH** Effect of nitrous oxide on myogenic motor potentials evoked by a six pulse train of transcranial electrical stimuli: a possible monitor for aortic surgery **323**
van Kleef JW *see* van den Nieuwenhuyzen MCO **580**
Vanner RG *see* Hartsilver EL **752**
Vaughan DHA *see* Nickells JS **305**
Vaughan DJA, Fernandes JR, Thornton C, Doré C and **Brunner MD** Effect of desflurane on P15-N20 amplitude of the somatosensory evoked response: *abstract* **451P**
Vaughan RS 'The only man to have his work done by Friday was Robinson Crusoe' (Anon): *editorial* **663**
Vazquez de Anda GF *see* Hartog A **81;** Tusman G **8**
Verbrugge SJC *see* Hartog A **81**
Vidal F *see* Canet J **847**
Vila P *see* Canet J **847**
Vivien B *see* Langeron O **340**
Vizi ES *see* Sato K **904**
Vletter A *see* White M **333**
Vletter AA *see* van den Nieuwenhuyzen MCO **580**
Vogel W *see* Olschewski A **435**
Vohra A *see* Razek E **466P**
Voyagis GS *see* Dimitriou V **478**
Vucevic M *see* Janzen PRM **635**

Wagle AU *see* Asai T **712**
Wagner K-F *see* Schumacher J **641**
Wahlström G *see* Norberg L **731**
Wakeling HG The intubating laryngeal mask and distorted airway anatomy: *correspondence* **810, 811**
Waldmann C *see* Jones C **794P**
Wall P *see* Germon TJ **831**
Walpole R and **Logan M** Effect of sevoflurane concentration on inhalation induction of anaesthesia in the elderly **20**
Walsh TS and **Lee A** Mathematical coupling in research: *correspondence* **149**
Walther-Larsen S *see* Rømsing J **637**
Wang CY *see* Chiu CL **757**
Wang JJ *see* Ho ST **112**
Wang JYY, Russell GN, Page RD, Oo A and **Pennefather SH** Comparison of the effects of desflurane and isoflurane on arterial oxygenation during one-lung ventilation: *abstract* **452P**
Ward SA *see* Fawcett WJ **463P**
Wartenberg HC, Urban BW and **Duch DS** Distinct molecular sites of anaesthetic action: pentobarbital block of human brain sodium channels is aileviated by removal of fast inactivation **74**
Waterland J *see* Innes JR **812**
Watters MPR and **Goodman NW** Comparison of basic methods in clinical studies and *in vitro* tissue and cell culture studies reported in three anaesthesia journals **295**
Weber A *see* Boldt J **170;** Morlion B **52**
Webster NR *see* Le Cras AE **450P**
Wee L and **Stokes MA** Bladder exstrophy in a neonate at risk of transient myasthenia gravis: a role for remifentanil and epidural analgesia **774**
Wells KF *see* Ruttmann TG **110**
Werling C *see* Lehmann A **140**
West SP *see* Hall WJ **465P**
Whipp BJ *see* Fawcett WJ **463P**
White DC Gases in Medicine: Anaesthesia. 8th BOC Priestly Conference: *book review* **656**
White M, Schenkels MJ, Engbers FHM, Vletter A, Burm AGL, Bovill JG and **Kenny GNC** Effect-site modelling of propofol using aduitory evoked potentials **333**
White MC and **Reynolds F** Sudden airway obstruction following inhalation drug abuse: *correspondence* **808**
Whitehurst A *see* Skinner **542**
Whitwam JG *see* Ma D **412**
Whyte S *see* Cooper DW **366**
Wiesner G *see* Hoerauf KH **268;** Hoerauf KH **764**
Wild K *see* Funk W **193**
Wildsmith JAW *see* Checketts MR **164**
Wilkes AR, Benbough JE and **Speight SE** Bacterial and viral filtration performance of breathing system filters: *abstract* **461P**
Williams B *see* Dell R **761;** Ames WA **746**
Williamson A *see* McGeorge AD **805P**
Wills JS, Mahajan RP and **Clay D** Dynamic compression of airway and supramaximal airflow: a bench model study of cough manoeuvre: *abstract* **461P**
Wilson D, Laurence AS, Bunting P and **Keens SJ** An audit of magnetic resonance imaging (MRI) anaesthesia: *abstract* **466P**
Wilson IH *see* Thomas EO **803P**
Windisch K *see* Sato K **904**
Windsor AJ *see* Giannoudis PV **468P**
Wirleitner B *see* Hobisch-Hagen P **503**
Wodey E, Chonow L, Beneux X, Azzis O, Bansard JY and **Ecoffey C** Haemodynamic effects of propofol *vs* thiopental in infants: an echocardiographic study **516**
Wolf AR Tears at bedtime: a pitfall of extending paediatric day-case surgery without extending anagesia: *editorial* **319**
Wood V *see* Keller C **291**
Woodock TE *see* Knighton JD **152**
Woolf RL *see* Chapman M **787P**
Woolf RL, Chapman MV and **Mythen MG** Early clinical experience with a newly formulated hydroxyethyl starch–Hextend: *correspondence* **299**
Writer WDR, Stienstra R, Hedlund C and **Selander D** Ropivacaine and bupivacaine for analgesia in labour: *correspondence* **652**
Wuerz A *see* Leuwer M **472P**

Yagi T *see* Tsubokawa T **473**
Yaguchi Y *see* Inomata S **852**
Yamamoto K *see* Tsubokawa T **473**
Yang M-J *see* Chen G-Y **932**
Yang SY *see* Yoo KY **90**
Yarrow S *see* Barrios A **798P**
Yeates D *see* Howell SJ **458P;** Howell SJ **679**
Yeoman P *see* Jeelani NUO **799P**
Yin B, Barratt S McG, Power I and **Percy J** Epidural haematoma after removal of an epidural catheter in a patient receiving high-dose enoxaparin **288**
Yoo KY, Yang SY, Lee J, Im WM, Jeong CY, Chung SS and **Kwak SH** Intracoronary propofol attenuates myocardial but not coronary endotheial dysfunction after brief ischaemia and reperfusion in dogs **90**
Yoshioka H *see* Hirota K **87**

Zegrí A *see* Canet J **847**
Zellner R *see* Langbein T **66**
Ziegenfuβ T *see* Fuchs-Buder T **61**
Zumtobel V *see* Sirtl C **510**

British Journal of Anaesthesia **82**: 970–85 (1999)

VOLUME 82 • SUBJECT INDEX

age factors, Cognition after major surgery in the elderly: test performance and complaints **867**
Effect of midazolam pretreatment on induction dose requirements of propofol in younger and older adults: *abstract* **449P**
Effect of sevoflurane concentration on inhalation induction of anaesthesia in the elderly **20**
Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Patient-controlled sedation using propofol in elderly patients in day-case catarract surgery **635**
Postoperative cognitive dysfunction in the elderly surgical patient: *correspondence* **813**
Reduce dose of NSAIDs in the elderly: *correspondence* **303**
airway, collapse, Dynamic compression of airway and supramaximal airflow: a bench model study of cough manoeuvre: *abstract* **461P**
airway, infections, Upper airway reactivity and upper respiratory tract infection: effect of nebulized lidocaine **857**
airway, irritation, Dry soda lime markedly degrades sevoflurane during simulated inhalation induction **193**
airway, obstruction, Severe postoperative laryngeal oedema causing total airway obstruction immediately on extubation **644**
Sudden airway obstruction following inhalation drug abuse: *correspondence* **808**
airway, patency, Flumazenil antagonizes midazolam-induced airway narrowing during nasal breathing in humans **698**
airway, pharyngeal mucosal pressure, Mucosal pressures from the cuffed oropharyngeal airway *vs* the laryngeal mask airway **922**
airway, pressure, Comparison of four methods for assessing airway sealing pressure with the laryngeal mask airway in adult patients **286**
airway, reflexes, Upper airway reactivity and upper respiratory tract infection: effect of nebulized lidocaine **857**
allergy, Failure to prevent an anaphylactic reaction to a second neuromuscular blocking drug during anaesthesia **770**
anaesthesia, audit, Comparison of basic methods in clinical studies and *in vitro* tissue and cell culture studies reported in three anaesthesia journals **295**
Anaesthesia for strabismus surgery: a regional survey **761**
Is anaesthesia evidence-based? A survey of anaesthetic practice **591**
Omitting antagonism of neuromuscular block: effect on postoperative nausea and vomiting and risk of residual paralysis. A systematic review **379**
Risk factors for cardiovascular death within 30 days after anaesthesia and urgent or emergency surgery: a nested case-control study **679**
anaesthesia, day case, Patient-maintained propofol sedation as premedication in day-case surgery: assessment of a target-controlled system **429**
Intraoperative therapeutic suggestions in day-case surgery: are there benefits for postoperative outcome? **861**
Postoperative pain after adenoidectomy in children **886**
anaesthesia, dental, Comparison of the incidence and character of arrhythmias using sevoflurane and halothane anaesthesia in paediatric outpatient dental anaesthesia: *abstract* **451P**
anaesthesia, depth, Comparison of bispecral EEG analysis and auditory evoked potentials for monitoring depth of anaesthesia during propofol anaesthesia **672**
Comparison of bispectral index, 95% spectral edge frequency and approximate entropy of the EEG, with changes in heart rate variability during induction of general anaesthesia **666**
Effect-site modelling of propofol using auditory evoked potentials **333**
Heart rate variability, BIS and 'depth of anaesthesia': *editorial* **659**
Intraoperative therapeutic suggestions in day-case surgery: are there benefits for postoperative outcome? **861**
Nitrous oxide does not alter bispectral index: study with nitrous oxide as sole agent and as an adjunct to i.v. anaesthesia **827**
Prediction of movement at laryngeal mask airway insertion: comparison of auditory evoked potential index, bispectral index, spectral edge frequency and median frequency **203**
anaesthesia, evidence-based, Is anaesthesia evidence-based? A survey of anaesthetic practice **591**
anaesthesia, general, 'Alveolar recruitment strategy' improves arterial oxygenation during general anaesthesia **8**
Anaesthetic management of epidermolysis bullosa: *review* **746**
Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
Comparison of bispectral index, 95% spectral edge frequency and approximate entropy of the EEG, with changes in heart rate variability during induction of general anaesthesia **666**
Dynamics of re-expansion of atelectasis during general anesthesia **551**
Effect of the laryngeal mask airway on oesophageal pH: influence of the volume and pressure inside the cuff **566**
Posterior fossa surgery in the sitting position in a pregnant patient with cerebellopontine angle meningioma **941**
Risk factors for cardiovascular death within 30 days after anaesthesia and urgent or emergency surgery: a nested case-control study **679**
anaesthesia, geriatric, Cognition after major surgery in the elderly: test performance and complaints **867**
Effect of sevoflurane concentration on inhalation induction of anaesthesia in the elderly **20**
Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Postoperative cognitive dysfunction in the elderly surgical patient: *correspondence* **813**
anaesthesia, journals, Comparison of basic methods in clinical studies and *in vitro* tissue and cell culture studies reported in three anaesthesia journals **295**
anaesthesia, obstetric, Patient-controlled analgesia: epidural fentanyl and i.v. morphine compared after Caesarean section **366**
Epidural anaesthesia for Caesarean section in an achondroplastic dwarf: *correspondence* **301**
Anaesthesia for Caesarean section in severe pulmonary hypertension: *correspondence* **808**
Gastric pressure during emergency Caesarean section under general anaesthesia **752**
Glycoprrolate reduces nausea during spinal anaesthesia for Caesarean section without affecting neonatal outcome **277**
anaesthesia, paediatric, Bladder exstrophy in a neonate at risk of transient myasthenia gravis: a role for remifentanil and epidural analgesia **774**
Comparison of the incidence and character of arrhythmias using sevoflurane and halothane anaesthesia in paediatric outpatient dental anaesthesia: *abstract* **451P**
Haemodynamic effects of propofol *vs* thiopental in infants: an echocardiographic study **516**
Neuropeptide Y response to tracheal intubation in anaesthetized children: effects of clonidine *vs* midazolam as premedication **391**
Tears at bedtime: a pitfall of extending paediatric day-case surgery without extending analgesia: *editorial* **319**
Tetracaine gel *vs* EMLA cream for percutaneous anaesthesia in children **637**
anaesthetic techniques, aubarachnoid, Transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine or general anaesthesia **575**
anaesthetic techniques, epidural, An epidural scoring scale for arm movements (ESSAM) : *abstract* **466P**
Central nerve block and thromboprophylaxis — is there a problem?: *editorial* **164**
Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
Epidural anaesthesia for Caesarean section in an achondroplastic dwarf: *correspondence* **301**
anaesthetic techniques, hypotensive, I.v. clonidine: does it work as a hypotensive agent with inhalation anaesthesia? **639**
anaesthetic techniques, induction, A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**

Bolus dose remifentanil for control of haemodynamic response to tracheal intubation during rapid sequence induction of anaesthesia **283**
Comparison of intubating conditions after rapacuronium (Org 9487) and succinylcholine following rapid sequence induction in adult patients **537**
Effect of midazolam pretreatment on induction dose requirements of propofol in younger and older adults: *abstract* **449P**
Effect of sevoflurane concentration on inhalation induction of anaesthesia in the elderly **20**
Nimodipine premedication and induction dose of propofol: *abstract* **448P**
Rapacuronium (Org 9487): do we have a replacement for succinylcholine?: *editorial* **489**
Remifentanil and rapid sequence induction **953**

anaesthetic techniques, regional, Local anaesthesia for routine ocular surgery: *correspondence* **153**

anaesthetic techniques, regional, brachial plexus, Respiratory effects of low-dose bupivacaine interscalene block **217**

anaesthetic techniques, regional, cervical plexus, Regional anaesthesia for carotid endarterectomy: *review* **910**

anaesthetic techniques, regional, liver, Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**

anaesthetic techniques, regional, paravertebral, Thoracic paravertebral block: *correspondence* **149**

anaesthetic techniques, regional, peribulbar, Pulmonary oedema after peribulbar block **777**

anaesthetic techniques, regional, retrobulbar, Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block: *correspondence* **812**
Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block: *correspondence* **303**

anaesthetic techniques, sitting postion, Posterior fossa surgery in the sitting position in a pregnant patient with cerebellopontine angle meningioma **941**

anaesthetic techniques, subarachnoid, Central nerve block and thromboprophylaxis — is there a problem?: *editorial* **164**
Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
Glycopyrrolate reduces nausea during spinal anaesthesia for Caesarean section without affecting neonatal outcome **277**
Myelopathy after hyperbaric local anaesthetics used for continuous spinal anaesthesia is iatrogenic: *correspondence* **479**

anaesthetics gases, nitrous oxide, A low concentration of nitrous oxide reduces dyspnoea produced by a combination of hypercapnia and severe elastic load **14**
Effect of nitrous oxide on dyspnoea: *correspondence* **811**
Effect of nitrous oxide on myogenic motor potentials evoked by a six pulse train of transcranial electrical stimuli: a possible monitor for aortic surgery **323**
Identification of casual relations between haemodynamic variables, auditory evoked potentials and isoflurane by means of fuzzy logic **25**
Nitrous oxide does not alter bispectral index: study with nitrous oxide as sole agent and as an adjunct to i.v. anaesthesia **827**
Pre-emptive analgesia—why the evidence is conflicting: *correspondence* **300**
Sister chromatid exchange in human lymphocytes exposed to isoflurane and nitrous oxide *in vitro* **268**

anaesthetics gases, trace concentrations, Waste anaesthetic gases induce sister chromatid exchanges in lymphocytes of operating room personnel **764**

anaesthetics gases, xenon, Measurement of xenon using ultrasound: *abstract* **453P**

anaesthetics i.v., Can electrostatic potential-activity models predict the potencies of i.v. general anaesthetic agents? : *abstract* **470P**
Differential effects of isoflurane and i.v. anaesthetic agents on metabolism of alveolar type II cells **767**

anaesthetics i.v., allopregnanolone, Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**

anaesthetics i.v., ketamine, Effects of diazepam and ketamine administered individually or in combination on regional rates of glucose utilization in rat brain **596**
Stereospecific effects of ketamine on dopamine efflux and uptake in the rat nucleus accumbens **603**

anaesthetics i.v., pentobarbital, Distinct molecular sites of anaesthetic action: pentobarbital block of human brain sodium channels is alleviated by removal of fast inactivation **74**

anaesthetics i.v., pregnanolone, Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**

anaesthetics i.v., propofol, Coating of extracorporeal circuit with heparin does not prevent sequestration of propofol *in vitro* **38**
Effect of midazolam pretreatment on induction dose requirements of propofol in younger and older adults: *abstract* **449P**
Intracoronary propofol attenuates myocardial but not coronary endothelial dysfunction after brief ischaemia and reperfusion in dogs **90**
A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**
Comparison of bispecral EEG analysis and auditory evoked potentials for monitoring depth of anaesthesia during propofol anaesthesia **672**
Effect of nitrous oxide on myogenic motor potentials evoked by a six pulse train of transcranial electrical stimuli: a possible monitor for aortic surgery **323**
Effect of propofol on the electrocorticogram in epileptic patients undergoing cortical resection **199**
Effect-site modelling of propofol using auditory evoked potentials **333**
Effects of propofol, propofol-nitrous oxide and midazolam on cortical somatosensory evoked potentials during sufentanil anaesthesia for major spinal surgery **340**
Fat metabolism during propofol infusion: *correspondence* **473**
Haemodynamic effects of propofol *vs* thiopental in infants: an echocardiographic study **516**
Intubating conditions after propofol and remifentanil: *correspondence* **649**
Iontophoretically applied lidocaine reduces pain on propofol injection **432**
Nimodipine premedication and induction dose of propofol: *abstract* **448P**
Patient-controlled sedation using propofol in elderly patients in day-case catarract surgery **635**
Patient-maintained propofol sedation as premedication in day-case surgery: assessment of a target-controlled system **429**
Propofol and epilepsy: *correspondence* **952**
Propofol and epilepsy: *editorial* **168**
Propofol, bradcardia and the Bezold-Jarisch reflex in rabbits **412**

anaesthetics i.v., thiopental, A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**
Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**
Effect of propofol on the electrocorticogram in epileptic patients undergoing cortical resection **199**
Effects of haemorrhage on the rat mesenteric microcirculation during thiopetal anaesthesia: *abstract* **449P**
Haemodynamic effects of propofol *vs* thiopental in infants: an echocardiographic study **516**

anaesthetics local, Myelopathy after hyperbaric local anaesthetics used for continuous spinal anaesthesia is iatrogenic: *correspondence* **479**
Pulmonary oedema after peribulbar block **777**

anaesthetics local, bupivacaine, Effect of bupicavaine on ATP-dependent potassium channels in rat cardiomyocytes **435**
Epidural analgesia during labour: *correspondence* **304**
Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Relative potencies of bupivacaine and ropivacaine for analgesia in labour **371**
Respiratory effects of low-dose bupivacaine interscalene block **217**
Ropivacaine and bupivacaine for analgesia in labour: *correspondence* **651**
Levobupivacaine *vs* bupivacaine as infiltration anaesthesia in inguinal herniorrhaphy **280**

anaesthetics local, cocaine, Sudden airway obstruction following inhalation drug abuse: *correspondence* **808**

anaesthetics local, EMLA, Effect of EMLA on pain after breast surgery for cancer: *abstract* **456P**
Tetracaine gel *vs* EMLA cream for percutaneous anaesthesia in children **637**
anaesthetics local, lidocaine, I.v. lidocaine worsens histamine-induced bronchoconstriction in dogs **87**
Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**
Iontophoretically applied lidocaine reduces pain on propofol injection **432**
Transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine or general anaesthesia, **575**
Upper airway reactivity and upper respiratory tract infection: effect of nebulized lidocaine **857**
anaesthetics local, ropivacaine, Combined field block and i.p. instillation of ropivacaine for pain management after laparoscopic sterilization **586**
Relative potencies of bupivacaine and ropivacaine for analgesia in labour **371**
Ropivacaine and bupivacaine for analgesia in labour: correpondence **651**
anaesthetics local, tetracaine, Tetracaine gel *vs* EMLA cream for percutaneous anaesthesia in children **637**
anaesthetics volatile, atmospheric concentrations, Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
anaesthetics volatile, Dry soda lime markedly degrades sevoflurane during simulated inhalation induction **193**
I.v. clonidine: does it work as a hypotensive agent with inhalation anaesthesia? **639**
anaesthetics volatile, desflurane, Comparison of the effects of desflurane and isoflurane on arterial oxygenation during one-lung ventilation: *abstract* **452P**
Effect of desflurane on P15-N20 amplitude of the somatosensory evoked response: *abstract* **451P**
Recovery after anaesthesia for pulmonary surgery: desflurane, sevoflurane and isoflurane **355**
Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
anaesthetics volatile, enflurane, Dexmedetomidine reduces seizure threshold during enflurane anaesthesia in cats **935**
Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
anaesthetics volatile, greenhouse warming potential, Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
anaesthetics volatile, halothane, Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
Comparison of the incidence and character of arrhythmias using sevoflurane and halothane anaesthesia in paediatric outpatient dental anaesthesia: *abstract* **451P**
Concentration-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
Dynamic effects of halothane and pentobarbital on nitric oxide in the rat spinal cord: *abstract* **450P**
Mechanisms underlying the inotropic action of halothane on intact rat ventricular myocytes **609**
Sex differences in stimulation pressure but not vasopressin release in visceromotor responses to colonic distension in rats anaesthetized with halothane: *abstract* **469P**
Ventilatory compensation for inspiratory resistive loads during anaesthesia with halothane or isoflurane **847**
anaesthetics volatile, isoflurane, Comparison of the effects of desflurane and isoflurane on arterial oxygenation during one-lung ventilation: *abstract* **452P**
Concentration-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
Differential effects of isoflurane and i.v. anaesthetic agents on metabolism of alveolar type II cells **767**
End-tidal sevoflurane concentration for tracheal extubation (MAC_{EX}) in adults: comparison with isoflurane **852**
Isoflurane can indirectly depress lumbar dorsal horn activity in the goat via action within the brain **244**
Isoflurane inhibits neuronal Ca^{2+} channels through enhancement of current inactivation **402**
Oral mucosal blood flow, plasma epinephrine and haemodynamic responses after injection of lidocaine with epinephrine during midazolam sedation and isoflurane anaesthesia **570**
Recovery after anaesthesia for pulmonary surgery: desflurane, sevoflurane and isoflurane **355**
Sister chromatid exchange in human lymphocytes exposed to isoflurane and nitrous oxide *in vitro* **268**
Ventilatory compensation for inspiratory resistive loads during anaesthesia with halothane or isoflurane **847**
Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
anaesthetics volatile, nitrous oxide, Effects of propofol, propofol-nitrous oxide and midazolam on cortical somatosensory evoked potentials during sufentanil anaesthesia for major spinal surgery **340**
anaesthetics volatile, ozone depletion potential, Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
anaesthetics volatile, sevoflurane, Effect of sevolflurane concentration on inhalation induction of anaesthesia in the elderly **20**
Arterial baroreflex function in humans anaesthetized with sevoflurane **350**
Comparison of the incidence and character of arrhythmias using sevoflurane and halothane anaesthesia in paediatric outpatient dental anaesthesia: *abstract* **451P**
Concentration-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
Dry soda lime markedly degrades sevoflurane during simulated inhalation induction **193**
End-tidal sevoflurane concentration for tracheal extubation (MAC_{EX}) in adults: comparison with isoflurane **852**
Recovery after anaesthesia for pulmonary surgery: desflurane, sevoflurane and isoflurane **355**
Sevoflurane anaesthesia for removal of chest drains: a case series: *abstract* **805P**
Sevoflurane anaesthesia with an Oxford Miniature Vaporizer in vaporizer inside circle mode **557**
Sevoflurane requirements for tracheal intubation with and without fentanyl **561**
Volatile anaesthetics and the atmosphere: atmospheric lifetimes and atmospheric effects of halothane, enflurane, isoflurane, desfurane and sevoflurane **66**
anaesthetics volatile, trace concentrations, Waste anaesthetic gases induce sister chromatid exchanges in lymphocytes of operating room personnel **764**
anaesthetist, activity, Is anaesthesia evidence-based? A survey of anaesthetic practice **591**
anaesthetist, risks, Waste anaesthetic gases induce sister chromatid exchanges in lymphocytes of operating room personnel **764**
anaesthetist, training, Duration of anaesthetic training before Calman: *abstract* **469P**
anagesics opioid, fentanyl, Placental transfer of fentanyl in early human pregnancy and its detection in fetal brain **929**
analgesia, obstetric, Comparison of intrathecal and epidural diamorphine for elective Caesarean section using a combined spinal—epidural technique **228**
Comparison of midwife top-ups, continuous infusion and patient-controlled epidural analgesia for maintaining mobility after a low-dose combined spinal—epidural **233**
Epidural analgesia during labour: *correspondence* **304**
Epidural analgesia in an obstetric patient with Klippel-Trenaunay syndrome **144**
Relative potencies of bupivacaine and ropivacaine for analgesia in labour **371**
Ropivacaine and bupivacaine for analgesia in labour: correpondence **651**
analgesia, paediatric, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**

Postoperative pain after adenoidectomy in children **886**
Tears at bedtime: a pitfall of extending paediatric day-case surgery without extending anagesia: *editorial* **319**
analgesia, patient-controlled, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**
analgesia, patient-controlled, Comparison of midwife top-ups, continuous infusion and patient-controlled epidural analgesia for maintaining mobility after a low-dose combined spinal—epidural **233**
I.v. diclofenac and ketorolac for pain after thoracoscopic surgery **221**
Influence of bolus size on efficacy of postoperative patient-controlled analgesia with piritramide **52**
Patient-controlled analgesia: epidural fentanyl and i.v. morphine compared after Caesarean section **366**
Patients' *vs* nurses' assessments of postoperative pain and anxiety during patient- or nurse-controlled analgesia **374**
analgesia, postoperative, Nocturnal hypoxaemia and respiratory function after endovascular and conventional abdominal aortic aneurysm repair **129**
Target-controlled infusion of alfentanil for postoperative analgesia: contribution of plasma protein binding to intra-patient and inter-patient variability **580**
analgesia, pre-emptive, Postoperative pain after adenoidectomy in children **886**
Pre-emptive analgesia—why the evidence is conflicting: *correspondence* **300**
analgesia, target-controlled, Target-controlled infusion of alfentanil for postoperative analgesia: contribution of plasma protein binding to intra-patient and inter-patient variability **580**
analgesic techniques, epidural, Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Bladder exstrophy in a neonate at risk of transient myasthenia gravis: a role for remifentanil and epidural analgesia **774**
Comparison of intrathecal and epidural diamorphine for elective Caesarean section using a combined spinal—epidural technique **228**
Comparison of midwife top-ups, continuous infusion and patient-controlled epidural analgesia for maintaining mobility after a low-dose combined spinal—epidural **233**
Epidural analgesia during labour: *correspondence* **304**
Epidural analgesia in an obstetric patient with Klippel-Trenaunay syndrome: *correspondence* **144**
Patient-controlled analgesia: epidural fentanyl and i.v. morphine compared after Caesarean section **366**
Relative potencies of bupivacaine and ropivacaine for analgesia in labour **371**
Ropivacaine and bupivacaine for analgesia in labour: correpondence **651**
analgesic techniques, subarachnoid, Comparison of intrathecal and epidural diamorphine for elective Caesarean section using a combined spinal—epidural technique **228**
Comparison of midwife top-ups, continuous infusion and patient-controlled epidural analgesia for maintaining mobility after a low-dose combined spinal—epidural **233**
analgesics non-opioid, diclofenac, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**
I.v. diclofenac and ketorolac for pain after thoracoscopic surgery **221**
Ketoprofen, diclofenac or ketorolac for pain after tonsillectomy in adults? **56**
Reduce dose of NSAIDs in the elderly: *correspondence* **303**
analgesics non-opioid, ketoprofen, Ketoprofen, diclofenac or ketorolac for pain after tonsillectomy in adults? **56**
Postoperative pain after adenoidectomy in children **886**
analgesics non-opioid, ketorolac, I.v. diclofenac and ketorolac for pain after thoracoscopic surgery **221**
Ketoprofen, diclofenac or ketorolac for pain after tonsillectomy in adults? **56**
analgesics non-opioid, paracetamol, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**
analgesics non-opioid, retroprofen, Reduce dose of NSAIDs in the elderly: *correspondence* **303**
Reduce dose of NSAIDs in the elderly: *correspondence* **303**
analgesics non-opioid, tramadol, Is tramadol an antidepressant?: *correspondence* **480**
Tramadol revisited: *editorial* **493**
analgesics opioid, Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
analgesics opioid, alfentanil, Comparison of remifentanil, alfentanil and fentanyl during craniotomy: *abstract* **453P**
Effect of bolus doses of alfentanil on the arousal response to intubation, as assessed by the auditory evoked response **925**
Target-controlled infusion of alfentanil for postoperative analgesia: contribution of plasma protein binding to intra-patient and inter-patient variability **580**
analgesics opioid, diamorphine, Comparison of intrathecal and epidural diamorphine for elective Caesarean section using a combined spinal—epidural technique **228**
analgesics opioid, fentanyl, Comparison of remifentanil, alfentanil and fentanyl during craniotomy: *abstract* **453P**
Fentanyl inhibits metabolism of midazolam: competitive inhibition of CYP3A4 *in vitro* **900**
Patient-controlled analgesia: epidural fentanyl and i.v. morphine compared after Caesarean section **366**
Sevoflurane requirements for tracheal intubation with and without fentanyl **561**
Epidural analgesia during labour: *correspondence* **304**
analgesics opioid, morphine, Pre-emptive analgesia—why the evidence is conflicting: *correspondence* **300**
Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**
Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Patient-controlled analgesia: epidural fentanyl and i.v. morphine compared after Caesarean section **366**
Surgical pain attenuates acute morphine tolerance in rats **112**
analgesics opioid, remifentanil, Bolus dose remifentanil for control of haemodynamic response to tracheal intubation during rapid sequence induction of anaesthesia **283**
Bladder exstrophy in a neonate at risk of transient myasthenia gravis: a role for remifentanil and epidural analgesia **774**
Comparison of remifentanil, alfentanil and fentanyl during craniotomy: *abstract* **453P**
Effect of remifentanil on cerebral blood flow, carbon dioxide reactivity and cerebral pressure autoregulation: *abstract* **454P**
Intubating conditions after propofol and remifentanil: *correspondence* **649**
Remifentanil and rapid sequence induction **953**
analgesics opioid, tramadol, Effect of tramadol on gastric emptying of a liquid meal: *abstract* **471P**
analgesics opioids, piritramide, Influence of bolus size on efficacy of postoperative patient-controlled analgesia with piritramide **52**
antagonists benzodiazepine, flumazenil, Flumazenil antagonizes midazolam-induced airway narrowing during nasal breathing in humans **698**
antagonists neuromuscular block, edrophonium, Omitting antagonism of neuromusular block: effect on postoperative nausea and vomiting and risk of residual paralysis. A systematic review **379**
antagonists neuromuscular block, neostigmine, Antagonism of vecuronium-induced neuromuscular block in patients pretreated with magnesium sulphate: dose-effect relationship of neostigmine **61**
Omitting antagonism of neuromusular block: effect on postoperative nausea and vomiting and risk of residual paralysis. A systematic review **379**
Spontaneous or neostigmine-induced recovery after maintenance of neuromuscular block with Org 9487 (rapacuronium) or rocuronium following an initial dose of Org 9487 **755**
antibiotics, gentamicin, High-dose aprotinin with gentamicin—vancomycin antibiotic prophylaxis increases blood concentrations of creatinine and cystatin C in patients undergoing coronary artery bypass grafting **531**
antibiotics, vancomycin, High-dose aprotinin with gentamicin—vancomycin antibiotic prophylaxis increases blood concentrations of creatinine and cystatin C in patients undergoing coronary artery bypass grafting **531**
arterial pressure, Arterial baroreflex function in humans anaesthetized with sevoflurane **350**
Haemodynamic assesment of hypovolaemia under general anaesthesia in pigs submitted to graded haemorrhage and retransfusion **97**

Pulse oximatry plethysmographic waveform during changes in blood volume **178**

blood haemodilution, Pulse oximatry plethysmographic waveform during changes in blood volume **178**
blood, anticoagulants, aspirin, Magnitude and time course of impaired primary haemostasis after stopping chronic low and medium dose aspirin in healthy volunteers **360**
blood, anticoagulants, heparin, Central nerve block and thromboprophylaxis — is there a problem?: *editorial* **164**
Epidural haematoma after removal of an epidural catheter in a patient receiving high-dose enoxaparin **288**
blood, cerebral pressure, Effect of remifentanil on cerebral blood flow, carbon dioxide reactivity and cerebral pressure autoregulation: *abstract* **454P**
blood, coagulation, Acute normovolaemic haemodilution *vs* controlled hypotension for reducint the use of allogeneic blood in patients undergoing radical prostatectomy **170**
Central nerve block and thromboprophylaxis — is there a problem?: *editorial* **164**
Complement activation and increased systemic and pulmonary vascular resistance indices during infusion of postoperatively drained untreated blood **47**
Consequences of acute normovolaemic haemodilution on haemostasis during major orthopaedic surgery **503**
Effect of 20% *in vitro* haemodilution with warmed buffered salt solution and cerebrospinal fluid on coagulation **110**
Epidural haematoma after removal of an epidural catheter in a patient receiving high-dose enoxaparin **288**
Intraoperative conservation of red cell mass: controlled hypotesion or haemodilution–not necessarily mutually exclusive?: *editorial* **161**
Intraoperative conservation of red cell mass: controlled hypotension or haemodilution-not necessarily mutulally exclusive?: *editorial* **161**
Thrombelastogram reveals hypercoagulability after administration of gelatin solution **175**
blood, colloids, Tissue deposits of hydroxyethyl starch (HES): dose-dependent and time-related **510**
blood, fibrinolysis, Consequences of acute normovolaemic haemodilution on haemostasis during major orthopaedic surgery **503**
blood, flow, Oral mucosal blood flow, plasma epinephrine and haemodynamic responses after injection of lidocaine with epinephrine during midazolam sedation and isoflurane anaesthesia **570**
blood, haemodilution, Effect of 20% *in vitro* haemodilution with warmed buffered salt solution and cerebrospinal fluid on coagulation **110**
Intraoperative conservation of red cell mass: controlled hypotension or haemodilution-not necessarily mutulally exclusive?: *editorial* **161**
Acute normovolaemic haemodilution *vs* controlled hypotension for reducint the use of allogeneic blood in patients undergoing radical prostatectomy **170**
Cerebral response to haemodilution during cardiopulmonary bypass in dogs: the role of nitric oxide synthase **237**
Consequences of acute normovolaemic haemodilution on haemostasis during major orthopaedic surgery **503**
Intraoperative conservation of red cell mass: controlled hypotesion or haemodilution–not necessarily Stability of the interstitial matrix after crystalloid fluid loading studies by volume kinetic analysis **496**
blood, haemostasis, Magnitude and time course of impaired primary haemostasis after stopping chronic low and medium dose aspirin in healthy volunteers **360**
blood, hypovolaemia, Haemodynamic assesment of hypovolaemia under general anaesthesia in pigs submitted to graded haemorrhage and retransfusion **97**
blood, neutrophils, Neutrophil activation after major surgical injury: *abstract* **801P**
blood, platelets, A prospective, minimized study of platelet pheresis in cardiac surgery: *abstract* **456P**
blood, replacement, Acute normovolaemic haemodilution *vs* controlled hypotension for reducint the use of allogeneic blood in patients undergoing radical prostatectomy **170**
Early clinical experience with a newly formulated hydroxyethyl starch— Hextend: *correspondence* **299**
Intraoperative conservation of red cell mass: controlled hypotesion or haemodilution–not necessarily mutually exclusive?: *editorial* **161**
Intraoperative conservation of red cell mass: controlled hypotension or haemodilution-not necessarily mutulally exclusive?: *editorial* **161**
Thrombelastogram reveals hypercoagulability after administration of gelatin solution **175**
blood, substitutes, Early clinical experience with a newly formulated hydroxyethyl starch—Hextend: *correspondence* **299**
Acute normovolaemic haemodilution *vs* controlled hypotension for reducint the use of allogeneic blood in patients undergoing radical prostatectomy **170**
Intraoperative conservation of red cell mass: controlled hypotesion or haemodilution–not necessarily mutually exclusive?: *editorial* **161**
Intraoperative conservation of red cell mass: controlled hypotension or haemodilution-not necessarily mutulally exclusive?: *editorial* **161**
Thrombelastogram reveals hypercoagulability after administration of gelatin solution **175**
Tissue deposits of hydroxyethyl starch (HES): dose-dependent and time-related **510**
blood, transfusion, Autologous blood transfusion: *correspondence* **154**
Complement activation and increased systemic and pulmonary vascular resistance indices during infusion of postoperatively drained untreated blood **47**
Early clinical experience with a newly formulated hydroxyethyl starch—Hextend: *correspondence* **299**
Intraoperative conservation of red cell mass: controlled hypotension or haemodilution-not necessarily mutulally exclusive?: *editorial* **161**
blood, transfusion, costs, Acute normovolaemic haemodilution *vs* controlled hypotension for reducint the use of allogeneic blood in patients undergoing radical prostatectomy **170**
Intraoperative conservation of red cell mass: controlled hypotension or haemodilution–not necessarily mutulally exclusive?: *editorial* **161**
blood, volume, Pulse oximatry plethysmographic waveform during changes in blood volume **178**
Stability of the interstitial matrix after crystalloid fluid loading studies by volume kinetic analysis **496**
book reviews, *Central pain: a Neurosurgical Challenge* **955**
Essentials of Cardiac and Thoracic Anaesthesia **956**
Final FRCA-Short Answer Questions **655**
Gases in Medicine: Anaesthesia. 8th BOC Priestly Conference **656**
International Anesthetiology Clinics. Back in Time. Selected Articles from 1962 to 1970 **957**
International Anesthesiology Clinics, Spring 1998: Vol. 36, No. 2. The Laryngeal Mask Airway **484**
International Anesthesiology Clinics, Summer 1998: Vol. 36, No. 3. Anesthesia and the Cancer Patient **486**
Intracranial Pressure and Neuromonitoring in Brain Injury **309**
Irwin and Rippe's Intensice Care Medicine **654**
Mathematics and Statistics in Anaesthesia **815**
Minimally Invasive Cardiac Surgery **654**
Pharmacology and Physiology in Anaesthetic Practice **656**
Problems in Anaesthesia, Current Issues in Paediatric Anaesthesia **955**
Recent Advances in Anaesthesia and Analgesia **484**
Safety of Anaesthetic Drugs **309**
The Spine and Medical Negligence **486**
brain, blood flow, Cerebral response to haemodilution during cardiopulmonary bypass in dogs: the role of nitric oxide synthase **237**
brain, blood flow, Effect of remifentanil on cerebral blood flow, carbon dioxide reactivity and cerebral pressure autoregulation: *abstract* **454P**
Near infrared spectroscopy **418**
brain, blood volume, Near infrared spectroscopy **418**
brain, carbon dioxide tension, Effects of arterial carbon dioxide changes on brain tissue oxygenation and tissue hydrogen ion concentration in head injured patients: *abstract* **789P**
brain, dysfunction, Time course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting **266**
brain, electroencephalography, Prediction of movement at laryngeal mask airway insertion: comparison of auditory evoked potential index, bispectral index, spectral edge frequency and median frequency **203**

brain, evoked potentials, Identification of casual relations between haemodynamic variables, auditory evoked potentials and isoflurane by means of fuzzy logic **25**
Comparison of bispectral EEG analysis and auditory evoked potentials for monitoring depth of anaesthesia during propofol anaesthesia **672**
Effect of a bolus dose of midazolam on the auditory evoked response in humans **633**
Effect of bolus doses of alfentanil on the arousal response to intubation, as assessed by the auditory evoked response **925**
Effect of desflurane on P15-N20 amplitude of the somatosensory evoked response: *abstract* **451P**
Effect-site modelling of propofol using auditory evoked potentials **333**
Prediction of movement at laryngeal mask airway insertion: comparison of auditory evoked potential index, bispectral index, spectral edge frequency and median frequency **203**
brain, injury, Decision tree analysis of demographic, time series physiological and medical complication data after traumatic brain injury: *abstract* **455P**
Effects of arterial carbon dioxide changes on brain tissue oxygenation and tissue hydrogen ion concentration in head injured patients: *abstract* **789P**
brain, meningioma, Posterior fossa surgery in the sitting position in a pregnant patient with cerebellopontine angle meningioma **941**
brain, metabolism, Effects of diazepam and ketamine administered individually or in combination on regional rates of glucose utilization in rat brain **596**
brain, near infrared spectroscopy, Near infrared spectroscopy **418**
brain, oxygen consumption, Cerebral near infrared spectroscopy: emitter—detector separation must be increased **831**
Value of brain tissue oxygen monitoring in the early management of the severely head injured patient: *abstract* **804P**

calcium channel block, nimodipine, Nimodipine premedication and induction dose of propofol: *abstract* **448P**
carbon dioxide, partial pressure, Predicting outcome after cardiac surgery: comparison of global haemodynamic and tonometric variables **33**
carbon dioxide, pneumoperitoneum, Changes in plasma potassium concentration during carbon dioxide pneumoperitoneum **137**
carbon dioxide, production, Effect of exercise on body carbon dioxide dynamics during and after volitional hyperventilation: *abstract* **463P**
cardiorespiratory system, effects, Cardioventilatory coupling in atrial fibrillation **685**
Cardioventilatory couplng: effects of IPPV **546**
ECG QTc dispersion in acute aneurysmal subarachnoid haemorrhage requiring intensive care management: a predictor of cardiorespiratory compromise: *abstract* **454P**

cardiovascular system, effects, Bolus dose remifentanil for control of haemodynamic response to tracheal intubation during rapid sequence induction of anaesthesia **283**
Complement activation and increased systemic and pulmonary vascular resistance indices during infusion of postoperatively drained untreated blood **47**
Haemodynamic assesment of hypovolaemia under general anaesthesia in pigs submitted to graded haemorrhage and retransfusion **97**
Haemodynamic changes after tracheal intubation in cigarette smokers compared with non-smokers **442**
Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**
Haemodynamic changes during orthotopic liver transplantation (OLT) closely follow complement membrane attack complex elaboration: *abstract* **467P**
Identification of casual relations between haemodynamic variables, auditory evoked potentials and isoflurane by means of fuzzy logic **25**
Oral mucosal blood flow, plasma epinephrine and haemodynamic responses after injection of lidocaine with epinephrine during midazolam sedation and isoflurane anaesthesia **570**
Remifentanil and rapid sequence induction **953**
cardioventilatory coupling, Cardioventilatory coupling in atrial fibrillation **685**
cat, Dexmedetomidine reduces seizure threshold during enflurane anaesthesia in cats **935**
cerebrospinal fluid, Effect of 20% *in vitro* haemodilution with warmed buffered salt solution and cerebrospinal fluid on coagulation **110**
children, An audit of magnetic resonance imaging (MRI) anaesthesia: *abstract* **466P**
Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**
Comparison of the incidence and character of arrhythmias using sevoflurane and halothane anaesthesia in paediatric outpatient dental anaesthesia: *abstract* **451P**
Neuropeptide Y response to tracheal intubation in anaesthetized children: effects of clonidine *vs* midazolam as premedication **391**
Postoperative pain after adenoidectomy in children **886**
Tetracaine gel *vs* EMLA cream for percutaneous anaesthesia in children **637**
complications, achondroplasia, Epidural anaesthesia for Caesarean section in an achondroplastic dwarf: *correspondence* **301**
complications, anaphylaxis, Failure to prevent an anaphylactic reaction to a second neuromuscular blocking drug during anaesthesia **770**
complications, anxiety, Patients' *vs* nurses' assessments of postoperative pain and anxiety during patient- or nurse-controlled analgesia **374**
complications, aortocaval compression, Return of autonomic nervous activity after delivery: role of aortocaval compression **932**
complications, arrhythmia, Comparison of the incidence and character of arrhythmias using sevoflurane and halothane anaesthesia in paediatric outpatient dental anaesthesia: *abstract* **451P**
complications, bladder exstrophy, Bladder exstrophy in a neonate at risk of transient myasthenia gravis: a role for remifentanil and epidural analgesia **774**
complications, bradycardia, Propofol, bradcardia and the Bezold-Jarisch reflex in rabbits **412**
complications, brainstem death, Organ donation in a tertiary referral hospital: 1 yr experience: *abstract* **794P**
complications, bronchospasm, I.v. lidocaine worsens histamine-induced bronchoconstriction in dogs **87**
complications, carbon monoxide poisoning, An audit of outcome after hyperbaric oxygen therapy for carbon monoxide poisoning: *abstract* **459P**
complications, cardiomyoplasty, Dynamic cardiomyoplasty in patients with end-stage heart failure: anaesthetic considerations **140**
complications, cardiovascular disease, Risk factors for cardiovascular death within 30 days after anaesthesia and urgent or emergency surgery: a nested case-control study **679**
complications, coma, Ocular microtremor (OMT): A useful indicator of outcome in coma?: *abstract* **795**
complications, dementia, Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Postoperative cognitive dysfunction in the elderly surgical patient: *correspondence* **813**
complications, drug abuse, Sudden airway obstruction following inhalation drug abuse: *correspondence* **808**
complications, drug effects, Drugs and sex differences: a *review* of drugs relating to anaesthesia **255**
complications, dyspnoea, A low concentration of nitrous oxide reduces dyspnoea produced by a combination of hypercapnia and severe elastic load **14**
Effect of nitrous oxide on dyspnoea: *correspondence* **811**
complications, epidermolysis bullosa, Anaesthetic management of epidermolysis bullosa: *review* **746**
complications, epilepsy, Effect of propofol on the electrocorticogram in epileptic patients undergoing cortical resection **199**
Propofol and epilepsy: *correspondence* **952**
Propofol and epilepsy: *editorial* **168**
complications, gastro-oesophageal reflux, Effect of the laryngeal mask airway on oesophageal pH: influence of the volume and pressure inside the cuff **566**
complications, haematological, Mortality of medical oncological patients admitted to intensive care: *correspondence* **807**
complications, haematoma, Central nerve block and thromboprophylaxis — is there a problem?: *editorial* **164**
Epidural haematoma after removal of an epidural catheter in a patient receiving high-dose enoxaparin **288**

Central nerve block and thromboprophylaxis–is there a problem?: *editorial* **164**
complications, haemorrhage, Effects of haemorrhage on the rat mesenteric microcirculation during thiopetal anaesthesia: *abstract* **449P**
Haemodynamic assesment of hypovolaemia under general anaesthesia in pigs submitted to graded haemorrhage and retransfusion **97**
complications, hyperkalaemia, Changes in plasma potassium concentration during carbon dioxide pneumoperitoneum **137**
complications, hyponatraemia, Glycine toxicity after high-dose i.v. infusion of 1.5% glycine in the mouse **250**
complications, hypotension, Postoperative cognitive dysfunction in the elderly surgical patient; *correspondence* **813**
complications, hypothermia, Effect of mild hypothermia on the vascular actions of phenylephrine in rat aortic rings **938**
complications, hypovolaemia, Pulse oximatry plethysmographic waveform during changes in blood volume **178**
complications, ischaemia—reperfusion injury, Protective effects of anaesthetics in reversible and irreversible ischaemia—reperfusion injury **622**
complications, ischaemia, Analgesic effect of adenosine on ischaemic pain in human volunteers **427**
complications, Klippel-Trenaunay syndrome, Epidural analgesia in an obstetric patient with Klippel-Trenaunay syndrome **144**
complications, laryngeal oedema, Severe postoperative laryngeal oedema causing total airway obstruction immediately on extubation **644**
complications, meningococcal disease, Shed endothelial cell adhesion molecules in meningococcal disease in children: *abstract* **802P**
complications, morbidity, Factors predicting hospital mortality in patients discharged from the ITU: *abstract* **789P**
complications, mortality, Adult general surgical patients have a 30% mortality rate after discharge from the intensive care unit: *abstract* **790P**
Factors predicting hospital mortality in patients discharged from the ITU: *abstract* **789P**
Predicting outcome after cardiac surgery: comparison of global haemodynamic and tonometric variables **33**
Risk factors for cardiovascular death within 30 days after anaesthesia and urgent or emergency surgery: a nested case-control study **679**
β-Blockers and perioperative cardiovascular risk: *abstract* **458P**
Under-estimation of mortality in patients with severe head injury: *abstract* **799P**
complications, mucosal damage, Bleeding from a tear in the gastric mucosa caused by transoesophageal echocardiography during cardiac surgery: effective haemostasis by endoscopic argon plasma coagulation **948**
complications, mucosal trauma, Direct measurement of mucosal pressures exerted by cuff and non-cuff portions of tracheal tubes with different cuff volumes and head and neck positions **708**
complications, myasthenia gravis, Bladder exstrophy in a neonate at risk of transient myasthenia gravis: a role for remifentanil and epidural analgesia **774**
complications, myocardial ischaemia, β-Adrenoceptor block and myocardial ischaemia revisited!: *abstract* **457P**
complications, nerve injury, Mental nerve neuropraxia associated with tracheal intubation using an RAE tube: *correspondence* **650**
complications, neurological, Effects of arterial carbon dioxide changes on brain tissue oxygenation and tissue hydrogen ion concentration in head injured patients: *abstract* **789P**
Transient neurological symptoms after spinal anaesthesia with hyperbaric 5% lidocaine or general anaesthesia **575**
Under-estimation of mortality in patients with severe head injury: *abstract* **799P**
Value of brain tissue oxygen monitoring in the early management of the severely head injured patient: *abstract* **804P**
complications, neuromuscular disorders, Assessment of neuromuscular function in long-term survivors of prolonged critical illness: *abstract* **798P**
complications, obesity, Effectiveness of continuous positive airway pressure to enhance preoxygenation in morbidly obese women: *abstract* **462P**
complications, organ failure, Preliminary report of a prospective observational study of the factors involved in the pathogenesis of organ system failure: *abstract* **786P**
complications, post-mastectomy pain syndrome, Effect of EMLA on pain after breast surgery for cancer: *abstract* **456P**
complications, primary pulmonary hypertension, Anaesthesia for Caesarean section in severe pulmonary hypertension: *correspondence* **808**
complications, pruritus, Management of opioid-induced pruritus: a role for 5-HT_3 antagonists? **439**
complications, pulmonary hypertension, Inhalation of nitric oxide as a life-saving therapy in a patient after pumonary embolectomy **444**
complications, pulmonary oedema, Pulmonary oedema after peribulbar block **777**
complications, regurgitation, Gastric pressure during emergency Caesarean section under general anaesthesia **752**
Preliminary evaluation of a new prototype laryngeal mask in children **132**
complications, reoxygenation injury, Hypoxia—reoxygenation injury: impact on survival and outcome: *abstract* **802P**
complications, right ventricular perforation, Pulmonary artery catheter-induced right ventricular perforation during coronary artery bypass surgery **953**
complications, seizure, Dexmedetomidine reduces seizure threshold during enflurane anaesthesia in cats **935**
complications, septic shock, Mitochodrial dysfunction in human septic shock: *abstract* **786P**
complications, shivering, Suspected recurrence of malignant hyperthermia after postextubation shivering in the intensive care unit, 18 h after tonsillectomy **945**
complications, smokers, Haemodynamic changes after tracheal intubation in cigarette smokers compared with non-smokers **442**
complications, subarachnoid haemorrhage, ECG QTc dispersion in acute aneurysmal subarachnoid haemorrhage requiring intensive care management: a predictor of cardiorespiratory compromise: *abstract* **454P**
complications, trauma, Monocyte HLA-DR expression and Il-10 release after blunt trauma: *abstract* **468P**
computers, Logbooks and the 'millennium bug': *correspondence* **814**
computers, neural networks, A neural network accurately predicts 100-day survival after emergency abdominal aortic aneurysm repair in patients admitted to intensive care: *abstract* **791P**
computers, simulation, Estimating venous admixture using a physiological simulator **346**
cough, Dynamic compression of airway and supramaximal airflow: a bench model study of cough manoeuvre: *abstract* **461P**

dog, Intracoronary propofol attenuates myocardial but not coronary endothelial dysfunction after brief ischaemia and reperfusion in dogs **90**
dopamine, Stereospecific effects of ketamine on dopamine efflux and uptake in the rat nucleus accumbens **603**
embolus, embolism, Inhalation of nitric oxide as a life-saving therapy in a patient after pumonary embolectomy **444**
enzymes, cholinesterase, Cisatracurium in a patient with atypical plasma cholinesterase: *correspondence* **301**
Influence of metoclopramide on plasma cholinesterase and duration of action of mivacurium **542**
enzymes, cytochrome P450, Fentanyl inhibits metabolism of midazolam: competitive inhibition of CYP3A4 *in vitro* **900**
enzymes, neurone-specific enolase, Time course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting **266**
equipment, airway, Cuffed oropharyngeal airway (COPA) as an adjunct to fibreoptic tracheal intubation **395**
equipment, breathing systems, Proportional and continuous NO delivery systems: *correspondence* **647**
equipment, bronchoscopes, Placement of left-sided double-lumen endobronchial tubes: comparison of clinical and fibreoptic-guided placement **920**
equipment, cannulae intravascular, 'In the country of the blind, the one-eyed man is king' Erasmus (1466—1536) **820**
Portable ultrasound for difficult central venous access **822**
equipment, cardiopulmonary bypass circuits, Coating of extracorporeal circuit with heparin does not prevent sequestration of propofol *in vitro* **38**

equipment, catheters pulmonary artery, Pulmonary artery catheter-induced right ventricular perforation during coronary artery bypass surgery **953**
equipment, chest drains, Sevoflurane anaesthesia for removal of chest drains: a case series: *abstract* **805P**
equipment, cuffed oropharyngeal airway, Mucosal pressures from the cuffed oropharyngeal airway *vs* the laryngeal mask airway **922**
equipment, cuffs tracheal, Cuffed oropharyngeal airway (COPA) as an adjunct to fibreoptic tracheal intubation **395**
equipment, heat and moisture exchange filters, Bacterial and viral filtration performance of breathing system filters: *abstract* **461P**
equipment, lasers, Liability of laryngeal mask airway devices to thermal damage from KTP and Nd: YAG lasers **291**
equipment, masks anaesthesia, Comparison of four methods for assessing airway sealing pressure with the laryngeal mask airway in adult patients **286**
Optimal cuff volume for the laryngeal mask: *correspondence* **150**
'The only man to have his work done by Friday was Robinson Crusoe' (Anon): *editorial* **663**
Blind intubation via the ILMA: what about accidental oesophageal intubation?: *correspondence* **478**
Calculated *vs* measured pharyngeal mucosal pressures with the laryngeal mask airway during cuff inflation: assessment of four locations **399**
Crossover, randomized, controlled study to compare the cuffed oropharyngeal airway (COPA) and the laryngeal mask airway (LMA) for establishing an airway by non-anaesthetists: *abstract* **470P**
Effect of the laryngeal mask airway on oesophageal pH: influence of the volume and pressure inside the cuff **566**
Effects of cricoid pressure on insertion of and ventilation through a COPA: *abstract* **462P**
Laryngeal mask airway size selection in males and females: ease of insertion, oropharyngeal leak pressure, pharyngeal mucosal pressures and anatomical position **703**
Liability of laryngeal mask airway devices to thermal damage from KTP and Nd: YAG lasers **291**
Mucosal pressures from the cuffed oropharyngeal airway *vs* the laryngeal mask airway **922**
Placement of the intubating laryngeal mask is easier than the laryngeal mask during manual in-line neck stabilization **712**
Prediction of movement at laryngeal mask airway insertion: comparison of auditory evoked potential index, bispectral index, spectral edge frequency and median frequency **203**
Preliminary evaluation of a new prototype laryngeal mask in children **132**
The intubating laryngeal mask and distorted airway anatomy: *correspondence* **809**
equipment, membrane oxygenator, Oxygenator exhaust capnography as an index of arterial carbon dioxide tension during cardiopulmonary bypass using a membrane oxygenator **843**
equipment, myographs, Comparison of a new piezoelectric train-of-four neuromuscular monitor, the ParaGraph, and the Relaxometer mechanomyograph **780**
equipment, oximeters, Cerebral near infrared spectroscopy; emitter—detector separation must be increased **831**
equipment, soda lime, Dry soda lime markedly degrades sevoflurane during simulated inhalation induction **193**
equipment, tubes double-lumen, Placement of left-sided double-lumen endobronchial tubes: comparison of clinical and fibreoptic-guided placement **920**
equipment, tubes endobronchial, Placement of left-sided double-lumen endobronchial tubes: comparison of clinical and fibreoptic-guided placement **920**
equipment, tubes tracheal, 'The only man to have his work done by Friday was Robinson Crusoe' (Anon): *editorial* **663**
Comparison between tracheal tubes for orotracheal fibreoptic intubation **135**
Direct measurement of mucosal pressures exerted by cuff and non-cuff portions of tracheal tubes with different cuff volumes and head and neck positions **708**
Mental nerve neuropraxia associated with tracheal intubation using an RAE tube: *correspondence* **650**
Small tidal volume ventilation using a zero deadspace tracheal tube **213**
equipment, vaporizers, Sevoflurane anaesthesia with an Oxford Miniature Vaporizer in vaporizer inside circle mode **557**
equipment, ventilators, Assessment of comfort of spontaneously breathing volunteers using various modes of assisted ventilation: *abstract* **803P**
Clinical evaluation of the Pneupac Ventipac portable ventilator in critically ill patients; *abstract* **805P**
eye, cataract, Local anaesthesia for routine ocular surgery: *correspondence* **153**
eye, intraocular pressure, Effect of rocuronium compared with succinylcholine on intraocular pressure during rapid sequence induction of anaesthesia **757**

fluid balance, Measurement of peripheral tissue thickness by ultrasound during the perioperative period **641**
fluid therapy, Stability of the interstitial matrix after crystalloid fluid loading studies by volume kinetic analysis **496**
Tissue deposits of hydroxyethyl starch (HES): dose-dependent and time-related **510**
fluids, i.v., Early clinical experience with a newly formulated hydroxyethyl starch—Hextend: *correspondence* **299**
Measurement of peripheral tissue thickness by ultrasound during the perioperative period **641**
Thrombelastogram reveals hypercoagulability after administration of gelatin solution **175**
flurocarbons, Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**

gases non-anaesthetic, nitrogen dioxide, Formation of nitrogen dioxide from nitric oxide and their mesurement in clinically relevant circumstances **182**
gastrointestinal tract, blood flow, mucosal perfusion, Effects of dopexamine on blood flow in multiple splanchnic sites measured by laser Doppler velocimetry in rabbits undergoing cardiopulmonary bypass **104**
gastrointestinal tract, emptying, Effect of tramadol on gastric emptying of a liquid meal: *abstract* **471P**
gastrointestinal tract, mucosal perfusion, Mucosal tissue oxygenation of the porcine jejunum during normothermic cardiopulmonary bypass **738**
gastrointestinal tract, mucosal pressure, Laryngeal mask airway size selection in males and females: ease of insertion, oropharyngeal leak pressure, pharyngeal mucosal pressures and anatomical position **703**
gastrointestinal tract, permeability, Effect of dopexamine on gut permeability in the critically ill: *abstract* **806P**
gastrointestinal tract, pH, Effect of the laryngeal mask airway on oesophageal pH: influence of the volume and pressure inside the cuff **566**
Predicting outcome after cardiac surgery: comparison of global haemodynamic and tonometric variables **33**
gastrointestinal tract, pressure, Gastric pressure during emergency Caesarean section under general anaesthesia **752**
gastrointestinal tract, reflux, Effect of the laryngeal mask airway on oesophageal pH: influence of the volume and pressure inside the cuff **566**
gastrointestinal tract, volume, Gastric pressure during emergency Caesarean section under general anaesthesia **752**
genetic factors, Waste anaesthetic gases induce sister chromatid exchanges in lymphocytes of operating room personnel **764**
genetic factors, anaesthetics, Sister chromatid exchange in human lymphocytes exposed to isoflurane and nitrous oxide *in vitro* **268**
genetic factors, malignant hyperthermia, A genome search in a large UK malignant hyperthermia family: *abstract* **465P**
goat, Isoflurane can indirectly depress lumbar dorsal horn activity in the goat via action within the brain **244**

heart, arrhythmia, Effect of bupicavaine on ATP-dependent potassium channels in rat cardiomyocytes **435**
heart, arrhythmia, fibrillation, Cardioventilatory coupling in atrial fibrillation **685**
Dissociation of pituitary—adrenal and catecholamine activation after induced cardiac arrest and defibrillation **271**

heart, cardiopulmonary bypass, Effects of dopexamine on blood flow in multiple splanchnic sites measured by laser Doppler velocimetry in rabbits undergoing cardiopulmonary bypass **104**
Cerebral response to haemodilution during cardiopulmonary bypass in dogs: the role of nitric oxide synthase **237**
Continuous monitoring of jugular bulb oxyhaemoglobin saturation using the Edslab dual lumen oximetry catheter during and after cardiac surgery **521**
Isoflurane can indirectly depress lumbar dorsal horn activity in the goat via action within the brain **244**
Mucosal tissue oxygenation of the porcine jejunum during normothermic cardiopulmonary bypass **738**
Oxygenator exhaust capnography as an index of arterial carbon dioxide tension during cardiopulmonary bypass using a membrane oxygenator **843**
Time course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting **266**
heart, dopexamine, Effects of dopexamine on blood flow in multiple splanchnic sites measured by laser Doppler velocimetry in rabbits undergoing cardiopulmonary bypass **104**
heart, failure, Dynamic cardiomyoplasty in patients with end-stage heart failure: anaesthetic considerations **140**
heart, heart rate, Arterial baroreflex function in humans anaesthetized with sevoflurane **350**
Cardioventilatory coupling: effects of IPPV **546**
Comparison of bispectral index, 95% spectral edge frequency and approximate entropy of the EEG, with changes in heart rate variability during induction of general anaesthesia **666**
Effects of non-depolarizing neuromuscular blocking agents on norepinephrine release from human atrial tissue obtained during cardiac surgery **904**
Heart rate variability, BIS and 'depth of anaesthesia': *editorial* **659**
Propofol, bradcardia and the Bezold-Jarisch reflex in rabbits **412**
Return of autonomic nervous activity after delivery: role of aortocaval compression **932**
heart, inotropism, Concentration-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
heart, ischaemia, Intracoronary propofol attenuates myocardial but not coronary endothelial dysfunction after brief ischaemia and reperfusion in dogs **90**
Protective effects of anaesthetics in reversible and irreversible ischaemia—reperfusion injuryγ **622**
heart, myocardial function, Haemodynamic effects of propofol *vs* thiopental in infants: an echocardiographic study **516**
Intracoronary propofol attenuates myocardial but not coronary endothelial dysfunction after brief ischaemia and reperfusion in dogs **90**
Troponin I and myocardial injury in the ICU **41**
heart, myocardium, Protective effects of anaesthetics in reversible and irreversible ischaemia—reperfusion injuryγ **622**
heart, myocytes, Concentration-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
heart, myocytes, contraction, Mechanisms underlying the inotropic action of halothane on intact rat ventricular myocytes **609**
histamine, dog, I.v. lidocaine worsens histamine-induced bronchoconstriction in dogs **87**
history, anaesthesia, Malignant hyperpyrexic syndrome: *correspondence* **299**
hormones, adrenal, Adrenal failure in the critically ill: *correspondence* **152**
Adrenocortical function and steroid therapy in critical illness: *correspondence* **474**
hormones, adrenocorticotrophic, Dissociation of pituitary—adrenal and catecholamine activation after induced cardiac arrest and defibrillation **271**
hormones, cortisol, Dissociation of pituitary—adrenal and catecholamine activation after induced cardiac arrest and defibrillation **271**
hormones, prolactin, Dissociation of pituitary—adrenal and catecholamine activation after induced cardiac arrest and defibrillation **271**
hormones, response, Dissociation of pituitary—adrenal and catecholamine activation after induced cardiac arrest and defibrillation **271**
hormones, vasopressin, Sex differences in stimulation pressure but not vasopressin release in visceromotor responses to colonic distension in rats anaesthetized with halothane: *abstract* **469P**
hypnotics barbiturate, hexobarbital, Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**
hypnotics barbiturate, phenobarbital, Dynamic effects of halothane and pentobarbital on nitric oxide in the rat spinal cord: *abstract* **450P**
hypnotics benzodiazepine, diazepam, Effects of diazepam and ketamine administered individually or in combination on regional rates of glucose utilization in rat brain **596**
hypnotics benzodiazepine, flurazepam, Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**
hypnotics benzodiazepine, midazolam, Effect of a bolus dose of midazolam on the auditory evoked response in humans **633**
Effect of midazolam pretreatment on induction dose requirements of propofol in younger and older adults: *abstract* **449P**
Effects of propofol, propofol-nitrous oxide and midazolam on cortical somatosensory evoked potentials during sufentanil anaesthesia for major spinal surgery **340**
Fentanyl inhibits metabolism of midazolam: competitive inhibition of CYP3A4 *in vitro* **900**
Flumazenil antagonizes midazolam-induced airway narrowing during nasal breathing in humans **698**
Oral mucosal blood flow, plasma epinephrine and haemodynamic responses after injection of lidocaine with epinephrine during midazolam sedation and isoflurane anaesthesia **570**
hypoxaemia, Nocturnal hypoxaemia and respiratory function after endovascular and conventional abdominal aortic aneurysm repair **129**
Placebo-controlled study of inhaled nitric oxide to treat hypoxaemia during one-lung ventilation **208**
hypoxia, Effect of hypoxia on respiratory chain function in hepatocytes: *abstract* **788P**
Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
Hypoxia—reoxygenation injury: impact on survival and outcome: *abstract* **802P**
Postoperative cognitive dysfunction in the elderly surgical patient: *correspondence* **813**

immune response, Monocyte HLA-DR expression and Il-10 release after blunt trauma: *abstract* **468P**
Preliminary report of a prospective observational study of the factors involved in the pathogenesis of organ system failure: *abstract* **786P**
infection, bacterial, Bacterial and viral filtration performance of breathing system filters: *abstract* **461P**
Does the acquisition of MRSA affect outcome of critically ill patients?: *abstract* **795P**
infection, viral, Bacterial and viral filtration performance of breathing system filters: *abstract* **461P**
Upper airway reactivity and upper respiratory tract infection: effect of nebulized lidocaine **857**
intensive care, Adrenal failure in the critically ill: *correspondence* **152**
Simplification of super-syringe method allowing routine measurement of respiratory mechanics in patients with ARDS: *abstract* **785P**
Troponin I and myocardial injury in the ICU **41**
intensive care, audit, A neural network accurately predicts 100-day survival after emergency abdominal aortic aneurysm repair in patients admitted to intensive care: *abstract* **791P**
Adult general surgical patients have a 30% mortality rate after discharge from the intensive care unit: *abstract* **790P**
An audit of the quality of communication between medical staff and relatives of intensive care patients: *abstract* **797P**
Assessment of neuromuscular function in long-term survivors of prolonged critical illness: *abstract* **798P**
Does the acquisition of MRSA affect outcome of critically ill patients?: *abstract* **795P**
Effect of introducing a sedation guideline on sedative costs per bed day: *abstract* **792P**

Effect on intensive care admission and discharge incidents–one extra intensive care bed compared with opening a high dependency unit: *abstract* **796P**
Emergency referrals to intensive care: can we identify patients at risk? : *abstract* **798P**
Factors predicting hospital mortality in patients discharged from the ITU: *abstract* **789P**
Follow-up EMG in critical illness neuromuscular disorders: *abstract* **800P**
Impact of changes in staffing and organization of an intensive care unit on outcome: *abstract* **792P**
Intensive care unit chest x-ray interpretation: radiologist or intensivist?: *abstract* **803P**
Is a nurse to patient ratio of 1:2 high enough for a high dependency unit?: *abstract* **791P**
Mobility problems encountered in intensive care outpatient clinics: *abstract* **794P**
Mortality of medical oncological patients admitted to intensive care: *correspondence* **807**
Ocular microtremor (OMT): A useful indicator of outcome in coma?: *abstract* **795**
Referral practice for neurophysiological investigations in the ICU: *abstract* **800P**
Relatives are still very anxious 2 weeks after patients' intensive care discharge: *abstract* **797P**
Under-estimation of mortality in patients with severe head injury: *abstract* **799P**

intensive care, brainstem death, Organ donation in a tertiary referral hospital: 1 yr experience: *abstract* **794P**

intensive care, high dependency unit, Effect on intensive care admission and discharge incidents–one extra intensive care bed compared with opening a high dependency unit: *abstract* **796P**
Is a nurse to patient ratio of 1:2 high enough for a high dependency unit?: *abstract* **791P**

intensive care, outcome, Does the acquisition of MRSA affect outcome of critically ill patients?: *abstract* **795P**
Effect on intensive care admission and discharge incidents–one extra intensive care bed compared with opening a high dependency unit: *abstract* **796P**
Impact of changes in staffing and organization of an intensive care unit on outcome: *abstract* **792P**
Mobility problems encountered in intensive care outpatient clinics: *abstract* **794P**

intensive care, risk factors, Emergency referrals to intensive care: can we identify patients at risk?: *abstract* **798P**

intensive care, sedation, Effect of introducing a sedation guideline on sedative costs per bed day: *abstract* **792P**

intensive care, staff, An audit of the quality of communication between medical staff and relatives of intensive care patients: *abstract* **797P**
Impact of changes in staffing and organization of an intensive care unit on outcome: *abstract* **792P**

intensive care, transfer, Clinical evaluation of the Pneupac Ventipac portable ventilator in critically ill patients: *abstract* **805P**

interaction (drug), Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**
Influence of metoclopramide on plasma cholinesterase and duration of action of mivacurium **542**
Sevoflurane requirements for tracheal intubation with and without fentanyl **561**

intubation endobronchial, Placement of left-sided double-lumen endobronchial tubes: comparison of clinical and fibreoptic-guided placement **920**

intubation tracheal, Comparison between tracheal tubes for orotracheal fibreoptic intubation **135**
Preliminary evaluation of a new prototype laryngeal mask in children **132**
'The only man to have his work done by Friday was Robinson Crusoe' (Anon): *editorial* **663**
Blind intubation via the ILMA: what about accidental oesophageal intubation?: *correspondence* **478**
Bolus dose remifentanil for control of haemodynamic response to tracheal intubation during rapid sequence induction of anaesthesia **283**
Comparison of intubating conditions after rapacuronium (Org 9487) and succinylcholine following rapid sequence induction in adult patients **537**
Crossover, randomized, controlled study to compare the cuffed oropharyngeal airway (COPA) and the laryngeal mask airway (LMA) for establishing an airway by non-anaesthetists: *abstract* **470P**
Cuffed oropharyngeal airway (COPA) as an adjunct to fibreoptic tracheal intubation **395**
Development of a physical model of the laryngoscopy procedure: *abstract* **464P**
Effect of bolus doses of alfentanil on the arousal response to intubation, as assessed by the auditory evoked response **925**
i Haemodynamic changes after tracheal intubation in cigarette smokers compared with non-smokers **442**
Intubating conditions after propofol and remifentanil: *correspondence* **649**
Laryngeal mask airway size selection in males and females: ease of insertion, oropharyngeal leak pressure, pharyngeal mucosal pressures and anatomical position **703**
Mental nerve neuropraxia associated with tracheal intubation using an RAE tube: *correspondence* **650**
Prediction of movement at laryngeal mask airway insertion: comparison of auditory evoked potential index, bispectral index, spectral edge frequency and median frequency **203**
Rapacuronium (Org 9487): do we have a replacement for succinylcholine?: *editorial* **489**
Remifentanil and rapid sequence induction **953**
Severe postoperative laryngeal oedema causing total airway obstruction immediately on extubation **644**
Sevoflurane requirements for tracheal intubation with and without fentanyl **561**
Small tidal volume ventilation using a zero deadspace tracheal tube **213**
The intubating laryngeal mask and distorted airway anatomy: *correspondence* **809**

intubation tracheal, complications, The intubating laryngeal mask and distorted airway anatomy: *correspondence* **809**

intubation tracheal, difficult, Cuffed oropharyngeal airway (COPA) as an adjunct to fibreoptic tracheal intubation **395**
Placement of the intubating laryngeal mask is easier than the laryngeal mask during manual in-line neck stabilization **712**

intubation tracheal, extubation, End-tidal sevoflurane concentration for tracheal extubation (MAC_{EX}) in adults: comparison with isoflurane **852**

intubation tracheal, responses, Neuropeptide Y response to tracheal intubation in anaesthetized children: effects of clonidine *vs* midazolam as premedication **391**

intubation tracheal, technique, Blind intubation via the ILMA: what about accidental oesophageal intubation?: *correspondence* **478**
Comparison between tracheal tubes for orotracheal fibreoptic intubation **135**
Placement of the intubating laryngeal mask is easier than the laryngeal mask during manual in-line neck stabilization **712**

intubation tracheal, training, Cuffed oropharyngeal airway (COPA) as an adjunct to fibreoptic tracheal intubation **395**

ion channels, voltage-gated, Distinct molecular sites of anaesthetic action: pentobarbital block of human brain sodium channels is alleviated by removal of fast inactivation **74**

ions, calcium, Isoflurane inhibits neuronal Ca^{2+} channels through enhancement of current inactivation **402**
Mechanisms underlying the inotropic action of halothane on intact rat ventricular myocytes **609**

ions, ion channel, sodium, 4-Chloro-m-cresol (4-CmC) is a potent blocker for mormal (WT), paramyotonia congenita (R1448H) and hyperkalaemic periodic paralysis (M1360V) mutant muscle sodium channels: *abstract* **472P**

ions, ion channels, Effect of bupicavaine on ATP-dependent potassium channels in rat cardiomyocytes **435**
Isoflurane inhibits neuronal Ca^{2+} channels through enhancement of current inactivation **402**

ions, potassium, Changes in plasma potassium concentration during carbon dioxide pneumoperitoneum **137**
Effect of bupicavaine on ATP-dependent potassium channels in rat cardiomyocytes **435**

ions, sodium, Distinct molecular sites of anaesthetic action: pentobarbital block of human brain sodium channels is alleviated by removal of fast inactivation **74**

kidney, failure, Adrenal failure in the critically ill: *correspondence* **152**
kidney, function, High-dose aprotinin with gentamicin—vancomycin antibiotic prophylaxis increases blood concentrations of creatinine and cystatin C in patients undergoing coronary artery bypass grafting **531**

L-NAME, Cerebral response to haemodilution during cardiopulmonary bypass in dogs: the role of nitric oxide synthase **237**
larynx, anatomy, Laryngeal mask airway size selection in males and females: ease of insertion, oropharyngeal leak pressure, pharyngeal mucosal pressures and anatomical position **703**
larynx, cricoid pressure, Effects of cricoid pressure on insertion of and ventilation through a COPA: *abstract* **462P**
Gastric pressure during emergency Caesarean section under general anaesthesia **752**
larynx, laryngoscopy, Development of a physical model of the laryngoscopy procedure: *abstract* **464P**
liver, blood flow, Splanchnic circulation and regional sympathetic outflow during peroperative PEEP ventilation in humans **838**
liver, transplantation, Haemodynamic changes during orthotopic liver transplantation (OLT) closely follow complement membrane attack complex elaboration: *abstract* **467P**
lung, alveolus, Differential effects of isoflurane and i.v. anaesthetic agents on metabolism of alveolar type II cells **767**
lung, ARDS, Simplification of super-syringe method allowing routine measurement of respiratory mechanics in patients with ARDS **785P**
lung, atelectasis, 'Alveolar recruitment strategy' improves arterial oxygenation during general anaesthesia **8**
Dynamics of re-expansion of atelectasis during general anesthesia **551**
lung, bronchus, I.v. lidocaine worsens histamine-induced bronchoconstriction in dogs **87**
lung, function, Effect of hypoxia on respiratory chain function in hepatocytes: *abstract* **788P**
Nocturnal hypoxaemia and respiratory function after endovascular and conventional abdominal aortic aneurysm repair **129**
Respiratory effects of low-dose bupivacaine interscalene block **217**
lung, gas exchange, Dynamics of re-expansion of atelectasis during general anesthesia **551**
Estimating venous admizture using a physiological simulator **346**
lung, injury, Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**
lung, lavage, Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**
lung, mechanics, 'Alveolar recruitment strategy' improves arterial oxygenation during general anaesthesia **8**
lung, metabolic function, Differential effects of isoflurane and i.v. anaesthetic agents on metabolism of alveolar type II cells **767**
lung, respiratory resistance, Ventilatory compensation for inspiratory resistive loads during anaesthesia with halothane or isoflurane **847**
lung, shunting, Estimating venous admixture using a physiological simulator **346**
lung, surfactant, Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**
Differential effects of isoflurane and i.v. anaesthetic agents on metabolism of alveolar type II cells **767**
lung, tidal volume, Ventilatory compensation for inspiratory resistive loads during anaesthesia with halothane or isoflurane **847**
lung, trachea, Electron microscopy of respiratory ciliated epithelium: *abstract* **464P**

malignant hyperthermia, Malignant hyperpyrexic syndrome: *correspondence* **299**
A genome search in a large UK malignant hyperthermia family: *abstract* **465P**
Suspected recurrence of malignant hyperthermia after postextubation shivering in the intensive care unit, 18 h after tonsillectomy **945**
measurement techniques, Asssessing paralysis: *editorial* **321**
measurement techniques, cardiac output, Continuous cardiac output measurement: pulse contour analysis *vs* thermodilution techniques in cardiac surgical patients **525**
measurement techniques, chemilumiescence, Formation of nitrogen dioxide from nitric oxide and their mesurement in clinically relevant circumstances **182**
measurement techniques, chest x-ray, Intensive care unit chest x-ray interpretation: radiologist or intensivist?: *abstract* **803P**
measurement techniques, echocardiography, Haemodynamic effects of propofol *vs* thiopental in infants: an echocardiographic study **516**
measurement techniques, electrochemical, Formation of nitrogen dioxide from nitric oxide and their mesurement in clinically relevant circumstances **182**
measurement techniques, electromyography, Electromyographic assessment of neuromuscular block at the gastrocnemius muscle **329**
measurement techniques, fibreoscopy, Optimal cuff volume for the laryngeal mask: *correspondence***150**
measurement techniques, mucosal pressure, Direct measurement of mucosal pressures exerted by cuff and non-cuff portions of tracheal tubes with different cuff volumes and head and neck positions **708**
measurement techniques, near infrared spectroscopy, Cerebral near infrared spectroscopy: emitter—detector separation must be increased **831**
measurement techniques, ocular tremor, Ocular microtremor (OMT): A useful indicator of outcome in coma?: *abstract* **795**
measurement techniques, oximeters, Continuous monitoring of jugular bulb oxyhaemoglobin saturation using the Edslab dual lumen oximetry catheter during and after cardiac surgery **521**
measurement techniques, oximetry, Pulse oximatry plethysmographic waveform during changes in blood volume **178**
measurement techniques, plethysmography, Pulse oximatry plethysmographic waveform during changes in blood volume **178**
measurement techniques, pulse contour analysis, Continuous cardiac output measurement: pulse contour analysis *vs* thermodilution techniques in cardiac surgical patients **525**
measurement techniques, spectral analysis, Comparison of bispectral index, 95% spectral edge frequency and approximate entropy of the EEG, with changes in heart rate variability during induction of general anaesthesia **666**
Heart rate variability, BIS and 'depth of anaesthesia': *editorial* **659**
measurement techniques, thermodilution, Continuous cardiac output measurement: pulse contour analysis *vs* thermodilution techniques in cardiac surgical patients **525**
measurement techniques, thrombelastography, Thrombelastogram reveals hypercoagulability after administration of gelatin solution **175**
measurement techniques, tissues thickness, Measurement of peripheral tissue thickness by ultrasound during the perioperative period **641**
measurement techniques, tomography, Dynamics of re-expansion of atelectasis during general anesthesia **551**
measurement techniques, tonometry, Temperature-dependent errors using gastrointestinal tonometry–an *in vitro* study: *abstract* **787P**
measurement techniques, transoesophageal echocardiography, Bleeding from a tear in the gastric mucosa caused by transoesophageal echocardiography during cardiac surgery: effective haemostasis by endoscopic argon plasma coagulation **948**
measurement techniques, ultrasound, 'In the country of the blind, the one-eyed man is king' Erasmus (1466—1536) **820**
Measurement of xenon using ultrasound: *abstract* **453P**
Portable ultrasound for difficult central venous access **822**
memory, Comparison of bispecral EEG analysis and auditory evoked potentials for monitoring depth of anaesthesia during propofol anaesthesia **672**
Factual memories of intensive care may reduce anxiety post-ICU: *abstract* **793P**
Intraoperative therapeutic suggestions in day-case surgery: are there benefits for postoperative outcome? **861**
Nitrous oxide does not alter bispectral index: study with nitrous oxide as sole agent and as an adjunct to i.v. anaesthesia **827**
Premedication with melatonin: a double-blind, placebo-controlled comparison with midazolam **875**
metabolism, lipid, Fat metabolism during propofol infusion: *correspondence* **473**
metabolism, midazolam, Fentanyl inhibits metabolism of midazolam: competitive inhibition of CYP3A4 *in vitro* **900**

model, fuzzy logic, Identification of casual relations between haemodynamic variables, auditory evoked potentials and isoflurane by means of fuzzy logic **25**
model, laryngoscopy, Development of a physical model of the laryngoscopy procedure: *abstract* **464P**
model, mathematical, Mathematical coupling in research: *correspondence* **147**
model, pain, Effect of riluzole on acute pain and hyperalgesia in humans **718**
model, pharmacokinetic, A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**
model, respiratory distress, Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**
model, respiratory, Estimating venous admixture using a physiological simulator **346**
monitoring, bispectral index, Nitrous oxide does not alter bispectral index: study with nitrous oxide as sole agent and as an adjunct to i.v. anaesthesia **827**
monitoring, carbon dioxide, Oxygenator exhaust capnography as an index of arterial carbon dioxide tension during cardiopulmonary bypass using a membrane oxygenator **843**
monitoring, depth of anaesthesia, Comparison of bispectral EEG analysis and auditory evoked potentials for monitoring depth of anaesthesia during propofol anaesthesia **672**
Comparison of bispectral index, 95% spectral edge frequency and approximate entropy of the EEG, with changes in heart rate variability during induction of general anaesthesia **666**
Heart rate variability, BIS and 'depth of anaesthesia': *editorial* **659**
monitoring, dobutamine stress echocardiography, A meta-analysis of studies of dobutamine stress echocardiography for assessment of perioperative risk: *abstract* **458P**
monitoring, echocardiography, Haemodynamic assesment of hypovolaemia under general anaesthesia in pigs submitted to graded haemorrhage and retransfusion **97**
monitoring, electrocardiography, Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**
ECG QTc dispersion in acute aneurysmal subarachnoid haemorrhage requiring intensive care management: a predictor of cardiorespiratory compromise: *abstract* **454P**
Glycine toxicity after high-dose i.v. infusion of 1.5% glycine in the mouse **250**
monitoring, electrocorticography, Effect of propofol on the electrocorticogram in epileptic patients undergoing cortical resection **199**
Propofol and epilepsy: *editorial* **168**
monitoring, electroencephalogram, Dexmedetomidine reduces seizure threshold during enflurane anaesthesia in cats **935**
monitoring, electroencephalography, Comparison of bispectral index, 95% spectral edge frequency and approximate entropy of the EEG, with changes in heart rate variability during induction of general anaesthesia **666**
Referral practice for neurophysiological investigations in the ICU: *abstract* **800P**
monitoring, electromyography, Antagonism of vecuronium-induced neuromuscular block in patients pretreated with magnesium sulphate: does-effect relationship of neostigmine **61**
Effect of nitrous oxide on myogenic motor potentials evoked by a six pulse train of transcranial electrical stimuli: a possible monitor for aortic surgery **323**
Follow-up EMG in critical illness neuromuscular disorders: *abstract* **800P**
Monitoring spinal chord function during aortic surgery: can we reduce the risks?: *editorial* **315**
Referral practice for neurophysiological investigations in the ICU: *abstract* **800P**
monitoring, evoked potentials, Effect of desflurane on P15-N20 amplitude of the somatosensory evoked response: *abstract* **451P**
Comparison of bispectral EEG analysis and auditory evoked potentials for monitoring depth of anaesthesia during propofol anaesthesia **672**
Effect of a bolus dose of midazolam on the auditory evoked response in humans **633**
Effect of bolus doses of alfentanil on the arousal response to intubation, as assessed by the auditory evoked response **925**
Effect of nitrous oxide on myogenic motor potentials evoked by a six pulse train of transcranial electrical stimuli: a possible monitor for aortic surgery **323**
Effect-site modelling of propofol using auditory evoked potentials **333**
Monitoring spinal chord function during aortic surgery: can we reduce the risks?: *editorial* **315**
Referral practice for neurophysiological investigations in the ICU: *abstract* **800P**
monitoring, magnetic resonance imaging, An audit of magnetic resonance imaging (MRI) anaesthesia: *abstract* **466P**
monitoring, near infrared spectroscopy, Near infrared spectroscopy **418**
monitoring, neuromuscular block, Asssessing paralysis: *editorial* **321**
Effect of nitrous oxide on myogenic motor potentials evoked by a six pulse train of transcranial electrical stimuli: a possible monitor for aortic surgery **323**
Electromyographic assessment of neuromuscular block at the gastrocnemius muscle **329**
monitoring, neuromuscular function, Assessment of neuromuscular function in long-term survivors of prolonged critical illness: *abstract* **798P**
Comparison of a new piezoelectric train-of-four neuromuscular monitor, the ParaGraph, and the Relaxometer mechanomyograph **780**
monitoring, oxygen, Value of brain tissue oxygen monitoring in the early management of the severely head injured patient: *abstract* **804P**
monitoring, pharyngeal mucosal pressure, Calculated *vs* measured pharyngeal mucosal pressures with the laryngeal mask airway during cuff inflation: assessment of four locations **399**
monitoring, tonometry, Predicting outcome after cardiac surgery: comparison of global haemodynamic and tonometric variables **33**
monitoring, ultrasound, Measurement of peripheral tissue thickness by ultrasound during the perioperative period **641**
mouse, Glycine toxicity after high-dose i.v. infusion of 1.5% glycine in the mouse **250**
muscle cardiac, sarcoplasmic reticulum, Mechanisms underlying the inotropic action of halothane on intact rat ventricular myocytes **609**
muscle skeletal, gastrocnemius, Electromyographic assessment of neuromuscular block at the gastrocnemius muscle **329**

neonate, Bladder exstrophy in a neonate at risk of transient myasthenia gravis: a role for remifentanil and epidural analgesia **774**
nerve, neuropeptide Y, Neuropeptide Y response to tracheal intubation in anaesthetized children: effects of clonidine *vs* midazolam as premedication **391**
neuromuscular block, Effects of non-depolarizing neuromuscular blocking agents on norepinephrine release from human atrial tissue obtained during cardiac surgery **904**
neuromuscular block, allergy, Failure to prevent an anaphylactic reaction to a second neuromuscular blocking drug during anaesthesia **770**
neuromuscular block, antagonism, Omitting antagonism of neuromusular block: effect on postoperative nausea and vomiting and risk of residual paralysis. A systematic *review* **379**
neuromuscular block, cisatracurium, Cisatracurium in a patient with atypical plasma cholinesterase: *correspondence* **301**
Comparison of a new piezoelectric train-of-four neuromuscular monitor, the ParaGraph, and the Relaxometer mechanomyograph **780**
neuromuscular block, mivacurium, Influence of metoclopramide on plasma cholinesterase and duration of action of mivacurium **542**
neuromuscular block, Org 9487, Spontaneous or neostigmine-induced recovery after maintenance of neuromuscular block with Org 9487 (rapacuronium) or rocuronium following an initial dose of Org 9487 **755**
neuromuscular block, rapacuronium, Comparison of intubating conditions after rapacuronium (Org 9487) and succinylcholine following rapid sequence induction in adult patients **537**
Rapacuronium (Org 9487): do we have a replacement for succinylcholine?: *editorial* **489**
neuromuscular block, rocuronium, Effect of rocuronium compared

with succinylcholine on intraocular pressure during rapid sequence induction of anaesthesia **757**
Spontaneous or neostigmine-induced recovery after maintenance of neuromuscular block with Org 9487 (rapacuronium) or rocuronium following an initial dose of Org 9487 **755**
neuromuscular block, succinylcholine, Comparison of intubating conditions after rapacuronium (Org 9487) and succinylcholine following rapid sequence induction in adult patients **537**
Effect of rocuronium compared with succinylcholine on intraocular pressure during rapid sequence induction of anaesthesia **757**
Rapacuronium (Org 9487): do we have a replacement for succinylcholine?: *editorial* **489**
neuromuscular block, vecuronium, Antagonism of vecuronium-induced neuromuscular block in patients pretreated with magnesium sulphate: dose-effect relationship of neostigmine **61**
Electromyographic assessment of neuromuscular block at the gastrocnemius muscle **329**
non-steroidal anti-inflammatory drugs, Reduce dose of NSAIDs in the elderly: *correspondence* **303**
I.v. diclofenac and ketorolac for pain after thoracoscopic surgery **221**
Ketoprofen, diclofenac or ketorolac for pain after tonsillectomy in adults? **56**
Postoperative pain after adenoidectomy in children **886**

operating rooms, contamination, Waste anaesthetic gases induce sister chromatid exchanges in lymphocytes of operating room personnel **764**
organizations, Jehovah's Witnessess, Autologous blood transfusion: *correspondence* **154**
oxygen, consumption, Effect of hypoxia on respiratory chain function in hepatocytes: *abstract* **788P**
oxygen, partial pressure, 'Alveolar recruitment strategy' improves arterial oxygenation during general anaesthesia **8**
oxygen, tension, Fat metabolism during propofol infusion: *correspondence* **473**
oxygen, therapy, An audit of outcome after hyperbaric oxygen therapy for carbon monoxide poisoning: *abstract* **459P**

pain, acute, Acute pain–is there scientific evidence on which to base treatment?: *editorial* **817**
Effect of riluzole on acute pain and hyperalgesia in humans **718**
pain, experimental, Effect of riluzole on acute pain and hyperalgesia in humans **718**
Surgical pain attenuates acute morphine tolerance in rats **112**
pain, injection, Iontophoretically applied lidocaine reduces pain on propofol injection **432**
pain, mechanism, Isoflurane can indirectly depress lumbar dorsal horn activity in the goat via action within the brain **244**
pain, phantom limb, Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
pain, postoperative, Influence of bolus size on efficacy of postoperative patient-controlled analgesia with piritramide **52**
Ketoprofen, diclofenac or ketorolac for pain after tonsillectomy in adults? **56**
Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine **715**
Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
Combined field block and i.p. instillation of ropivacaine for pain management after laparoscopic sterilization **586**
Comparison of intrathecal and epidural diamorphine for elective Caesarean section using a combined spinal—epidural technique **228**
I.v. diclofenac and ketorolac for pain after thoracoscopic surgery **221**
Patients' *vs* nurses' assessments of postoperative pain and anxiety during patient- or nurse-controlled analgesia **374**
Postoperative pain after adenoidectomy in children **886**
Pre-emptive analgesia—why the evidence is conflicting: *correspondence* **300**
Target-controlled infusion of alfentanil for postoperative analgesia: contribution of plasma protein binding to intra-patient and inter-patient variability **580**
Thoracic paravertebral block: *correspondence* **149**
pain, surgical, Surgical pain attenuates acute morphine tolerance in rats **112**
pain, tolerance, Surgical pain attenuates acute morphine tolerance in rats **112**
pain, tourniquet, Analgesic effect of adenosine on ischaemic pain in human volunteers **427**
parasympathetic nervous system, activity, Return of autonomic nervous activity after delivery: role of aortocaval compression **932**
parasympathetic nervous system, glycopyrrolate, Glycoprrolate reduces nausea during spinal anaesthesia for Caesarean section without affecting neonatal outcome **277**
partial pressure, arterial, Oxygenator exhaust capnography as an index of arterial carbon dioxide tension during cardiopulmonary bypass using a membrane oxygenator **843**
partial pressure, carbon dioxide, Oxygenator exhaust capnography as an index of arterial carbon dioxide tension during cardiopulmonary bypass using a membrane oxygenator **843**
pharmacodynamics, A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**
Drugs and sex differences: a *review* of drugs relating to anaesthesia **255**
Effect-site modelling of propofol using auditory evoked potentials **333**
Spontaneous or neostigmine-induced recovery after maintenance of neuromuscular block with Org 9487 (rapacuronium) or rocuronium following an initial dose of Org 9487 **755**
pharmacokinetics, anaesthetics, Drugs and sex differences: a *review* of drugs relating to anaesthesia **255**
pharmacokinetics, fentanyl, Placental transfer of fentanyl in early human pregnancy and its detection in fetal brain **929**
pharmacokinetics, models, Stability of the interstitial matrix after crystalloid fluid loading studies by volume kinetic analysis **496**
pharmacokinetics, propofol, Effect-site modelling of propofol using auditory evoked potentials **333**
pharmacokinetics, stereoisomers, Levobupivacaine *vs* bupivacaine as infiltration anaesthesia in inguinal herniorrhaphy **280**
pharmacology, Cerebral response to haemodilution during cardiopulmonary bypass in dogs: the role of nitric oxide synthase **237**
pharmacology, 4-chloro-m-cresol, Chloro-m-cresol (4-CmC) is a potent blocker for mormal (WT), paramyotonia congenita (R1448H) and hyperkalaemic periodic paralysis (M1360V) mutant muscle sodium channels: *abstract* **472P**
pharmacology, adenosine, Analgesic effect of adenosine on ischaemic pain in human volunteers **427**
pharmacology, aspirin, Magnitude and time course of impaired primary haemostasis after stopping chronic low and medium dose aspirin in healthy volunteers **360**
pharmacology, cisatracurium, Cisatracurium in a patient with atypical plasma cholinesterase: *correspondence* **301**
pharmacology, dantrolene, Suspected recurrence of malignant hyperthermia after postextubation shivering in the intensive care unit, 18 h after tonsillectomy **945**
pharmacology, enoxaparin, Epidural haematoma after removal of an epidural catheter in a patient receiving high-dose enoxaparin **288**
pharmacology, glycine, Glycine toxicity after high-dose i.v. infusion of 1.5% glycine in the mouse **250**
pharmacology, GR205171, Antiemetic activity of the NK_1 receptor antagonist GR205171 in the treatment of established postoperative nausea and vomiting after major gynaecological survey **274**
pharmacology, granisetron, Methodological problems arising from 'serial publishing' on the effectiveness of granisetron in PONV: *correspondence* **481**
pharmacology, hydroxyethyl starch, Tissue deposits of hydroxyethyl starch (HES): dose-dependent and time-related **510**
pharmacology, magnesium sulphate, Antagonism of vecuronium-induced neuromuscular block in patients pretreated with magnesium sulphate: dose-effect relationship of neostigmine **61**
pharmacology, metoclopramide, Influence of metoclopramide on plasma cholinesterase and duration of action of mivacurium **542**
pharmacology, nitric oxide, Dynamic effects of halothane and pentobarbital on nitric oxide in the rat spinal cord: *abstract* **450P**
Effect of mild hypothermia on the vascular actions of phenylephrine in rat aortic rings **938**
Formation of nitrogen dioxide from nitric oxide and their mesurement in clinically relevant circumstances **182**

Inhalation of nitric oxide as a life-saving therapy in a patient after pumonary embolectomy **444**
Mitochodrial dysfunction in human septic shock: *abstract* **786P**
Placebo-controlled study of inhaled nitric oxide to treat hypoxaemia during one-lung ventilation **208**
Proportional and continuous NO delivery systems: *correspondence* **647**
pharmacology, ondansetron, Management of opioid-induced pruritus: a role for 5-HT_3 antagonists? **439**
pharmacology, riluzole, Effect of riluzole on acute pain and hyperalgesia in humans **718**
pharmacology, ryanodine, Concentration-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
pig, Haemodynamic assesment of hypovolaemia under general anaesthesia in pigs submitted to graded haemorrhage and retransfusion **97**
Malignant hyperpyrexic syndrome: *correspondence* **299**
Mucosal tissue oxygenation of the porcine jejunum during normothermic cardiopulmonary bypass **738**
polypeptides, aprotinin, High-dose aprotinin with gentamicin—vancomycin antibiotic prophylaxis increases blood concentrations of creatinine and cystatin C in patients undergoing coronary artery bypass grafting **531**
polypeptides, cytokines, Monocyte HLA-DR expression and Il-10 release after blunt trauma: *abstract* **468P**
Shed endothelial cell adhesion molecules in meningococcal disease in children: *abstract* **802P**
position, effects, Return of autonomic nervous activity after delivery: role of aortocaval compression **932**
position, sitting, The sitting position in neurosurgery: a critical appraisal **117**
potency, anaesthetic, Can electrostatic potential-activity models predict the potencies of i.v. general anaesthetic agents? : *abstract* **470P**
potency, anaesthetic, MAC, End-tidal sevoflurane concentration for tracheal extubation (MAC_{EX}) in adults: comparison with isoflurane **852**
Sevoflurane requirements for tracheal intubation with and without fentanyl **561**
pregnancy, Placental transfer of fentanyl in early human pregnancy and its detection in fetal brain **929**
Posterior fossa surgery in the sitting position in a pregnant patient with cerebellopontine angle meningioma **941**
Return of autonomic nervous activity after delivery: role of aortocaval compression **932**
premedication, clonidine, Neuropeptide Y response to tracheal intubation in anaesthetized children: effects of clonidine *vs* midazolam as premedication **391**
premedication, melatonin, Premedication with melatonin: a double-blind, placebo-controlled comparison with midazolam **875**
premedication, midazolam, Neuropeptide Y response to tracheal intubation in anaesthetized children: effects of clonidine *vs* midazolam as premedication **391**
Premedication with melatonin: a double-blind, placebo-controlled comparison with midazolam **875**
premedication, nimodipine, Nimodipine premedication and induction dose of propofol: *abstract* **448P**
premedication, propofol, Patient-maintained propofol sedation as premedication in day-case surgery: assessment of a target-controlled system **429**
preoxygenation, continuous positive airway pressure, Effectiveness of continuous positive airway pressure to enhance preoxygenation in morbidly obese women: *abstract* **462P**
protein, binding, Target-controlled infusion of alfentanil for postoperative analgesia: contribution of plasma protein binding to intra-patient and inter-patient variability **580**
protein, S-100, Time course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting **266**
protein, troponin I, Troponin I and myocardial injury in the ICU **41**
protein, trypsin, Distinct molecular sites of anaesthetic action: pentobarbital block of human brain sodium channels is alleviated by removal of fast inactivation **74**
psychological responses, Factual memories of intensive care may reduce anxiety post-ICU: *abstract* **793P**
Relatives are still very anxious 2 weeks after patients' intensive care discharge: *abstract* **797P**
psychological responses, postoperative, Postoperative cognitive deficit in the elderly surgical patient: *correspondence* **307**
Cognition after major surgery in the elderly: test performance and complaints **867**
Postoperative cognitive dysfunction in the elderly surgical patient: *correspondence* **812**
Premedication with melatonin: a double-blind, placebo-controlled comparison with midazolam **875**
psychological responses, unconscious perception, Intraoperative therapeutic suggestions in day-case surgery: are there benefits for postoperative outcome? **861**

rabbit, Effects of dopexamine on blood flow in multiple splanchnic sites measured by laser Doppler velocimetry in rabbits undergoing cardiopulmonary bypass **104**
rat, Anaesthetic effects of pregnanolone in combination with allopregnanolone, thiopental, hexabarbitol and flurazepam: an EEG study in the rat **731**
Concentration-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **723**
Effect of bupicavaine on ATP-dependent potassium channels in rat cardiomyocytes **435**
Effect of mild hypothermia on the vascular actions of phenylephrine in rat aortic rings **938**
Effects of diazepam and ketamine administered individually or in combination on regional rates of glucose utilization in rat brain **596**
Mechanisms underlying the inotropic action of halothane on intact rat ventricular myocytes **609**
Sex differences in stimulation pressure but not vasopressin release in visceromotor responses to colonic distension in rats anaesthetized with halothane: *abstract* **469P**
Stereospecific effects of ketamine on dopamine efflux and uptake in the rat nucleus accumbens **603**
Surgical pain attenuates acute morphine tolerance in rats **112**
rat, spinal cord, Dynamic effects of halothane and pentobarbital on nitric oxide in the rat spinal cord: *abstract* **450P**
records, anaesthesia, computerized, Logbooks and the 'millennium bug': *correspondence* **814**
records, anaesthesia, Risk factors for cardiovascular death within 30 days after anaesthesia and urgent or emergency surgery: a nested case-control study **679**
recovery, cognitive, Recovery after anaesthesia for pulmonary surgery: desflurane, sevoflurane and isoflurane **355**
recovery, psychomotor, Recovery after anaesthesia for pulmonary surgery: desflurane, sevoflurane and isoflurane **355**
reflex, Bezold-Jarisch, Propofol, bradcardia and the Bezold-Jarisch reflex in rabbits **412**
reflexes, barroreceptor, Arterial baroreflex function in humans anaesthetized with sevoflurane **350**
research, anaesthesia, Is anaesthesia evidence-based? A survey of anaesthetic practice **591**
Placebo trails: a time for change?: *correspondence* **951**
research, clinical, Comparison of basic methods in clinical studies and *in vitro* tissue and cell culture studies reported in three anaesthesia journals **295**
research, ethics, Placebo trails: a time for change?: *correspondence* **951**
research, laboratory, Comparison of basic methods in clinical studies and *in vitro* tissue and cell culture studies reported in three anaesthesia journals **295**
research, medical, Mathematical coupling in research: *correspondence* **147**

sedation, patient-controlled, Patient-controlled sedation using propofol in elderly patients in day-case catarract surgery **635**
sex factors, Drugs and sex differences: a *review* of drugs relating to anaesthesia **255**
sheep, A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**
spinal cord, Isoflurane can indirectly depress lumbar dorsal horn activity in the goat via action within the brain **244**

spinal cord, evoked potentials, Effects of propofol, propofol-nitrous oxide and midazolam on cortical somatosensory evoked potentials during sufentanil anaesthesia for major spinal surgery **340**
statistics, decision tree analysis, Decision tree analysis of demographic, time series physiological and medical complication data after traumatic brain injury: *abstract* **455P**
statistics, meta-analysis, A meta-analysis of studies of dobutamine stress echocardiography for assessment of perioperative risk: *abstract* **458P**
stereoisomers, Stereospecific effects of ketamine on dopamine efflux and uptake in the rat nucleus accumbens **603**
surgery thoracic, I.v. diclofenac and ketorolac for pain after thoracoscopic surgery **221**
surgery, amputation, Epidural bupivacaine and morphine on stump sensation in lower limb amputees: *correspondence* **306**
surgery, cardiovascular, A prospective, minimized study of platelet pheresis in cardiac surgery: *abstract* **456P**
Continuous cardiac output measurement: pulse contour analysis *vs* thermodilution techniques in cardiac surgical patients **525**
Continuous monitoring of jugular bulb oxyhaemoglobin saturation using the Edslab dual lumen oximetry catheter during and after cardiac surgery **521**
Dynamic cardiomyoplasty in patients with end-stage heart failure: anaesthetic considerations **140**
Effects of non-depolarizing neuromuscular blocking agents on norepinephrine release from human atrial tissue obtained during cardiac surgery **904**
High-dose aprotinin with gentamicin—vancomycin antibiotic prophylaxis increases blood concentrations of creatinine and cystatin C in patients undergoing coronary artery bypass grafting **531**
Mucosal tissue oxygenation of the porcine jejunum during normothermic cardiopulmonary bypass **738**
Nitrous oxide does not alter bispectral index: study with nitrous oxide as sole agent and as an adjunct to i.v. anaesthesia **827**
Predicting outcome after cardiac surgery: comparison of global haemodynamic and tonometric variables **33**
Pulmonary artery catheter-induced right ventricular perforation during coronary artery bypass surgery **953**
Time course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting **266**
surgery, cataract, Local anaesthesia for routine ocular surgery: *correspondence* **153**
surgery, gastrointestinal, Neutrophil activation after major surgical injury: *abstract* **801P**
surgery, gynaecological, Antiemetic activity of the NK_1 receptor antagonist GR205171 in the treatment of established postoperative nausea and vomiting after major gynaecological survey **274**
Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
surgery, hepatic, Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**
surgery, herniorrhaphy, Levobupivacaine *vs* bupivacaine as infiltration anaesthesia in inguinal herniorrhaphy **280**
surgery, laparoscopy, Changes in plasma potassium concentration during carbon dioxide pneumoperitoneum **137**
Acupressure and the prevention of nausea and vomiting after laparoscopy **387**
Combined field block and i.p. instillation of ropivacaine for pain management after laparoscopic sterilization **586**
Hazards of laparoscopic surgery: *correspondence* **651**
surgery, laparotomy, Changes in plasma potassium concentration during carbon dioxide pneumoperitoneum **137**
surgery, neurological, The sitting position in neurosurgery: a critical appraisal **117**
Comparison of remifentanil, alfentanil and fentanyl during craniotomy: *abstract* **453P**
surgery, neurological, Posterior fossa surgery in the sitting position in a pregnant patient with cerebellopontine angle meningioma **941**
surgery, ophthalmological, Anaesthesia for strabismus surgery: a regional survey **761**
Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block: *correspondence* **812**
Patient-controlled sedation using propofol in elderly patients in day-case catarract surgery **635**
Pulmonary oedema after peribulbar block **777**
Inadvertent inhalation anaesthesia during surgery under retrobulbar eye block: *correspondence* **303**
surgery, orthopaedic, Complement activation and increased systemic and pulmonary vascular resistance indices during infusion of postoperatively drained untreated blood **47**
Consequences of acute normovolaemic haemodilution on haemostasis during major orthopaedic surgery **503**
surgery, otolaryngeal, Suspected recurrence of malignant hyperthermia after postextubation shivering in the intensive care unit, 18 h after tonsillectomy **945**
surgery, otolaryngological, Ketoprofen, diclofenac or ketorolac for pain after tonsillectomy in adults? **56**
Liability of laryngeal mask airway devices to thermal damage from KTP and Nd: YAG lasers **291**
Postoperative pain after adenoidectomy in children **886**
surgery, pulmonary, Recovery after anaesthesia for pulmonary surgery: desflurane, sevoflurane and isoflurane **355**
surgery, spinal, Effects of propofol, propofol-nitrous oxide and midazolam on cortical somatosensory evoked potentials during sufentanil anaesthesia for major spinal surgery **340**
surgery, thoracic, Placebo-controlled study of inhaled nitric oxide to treat hypoxaemia during one-lung ventilation **208**
surgery, urological, Acute normovolaemic haemodilution *vs* controlled hypotension for reducing the use of allogeneic blood in patients undergoing radical prostatectomy **170**
surgery, vascular, A neural network accurately predicts 100-day survival after emergency abdominal aortic aneurysm repair in patients admitted to intensive care: *abstract* **791P**
Effect of nitrous oxide on myogenic motor potentials evoked by a six pulse train of transcranial electrical stimuli: a possible monitor for aortic surgery **323**
Monitoring spinal chord function during aortic surgery: can we reduce the risks?: *editorial* **315**
Nocturnal hypoxaemia and respiratory function after endovascular and conventional abdominal aortic aneurysm repair **129**
Regional anaesthesia for carotid endarterectomy: *review* **910**
sympathetic nervous system, Propofol, bradcardia and the Bezold-Jarisch reflex in rabbits **412**
sympathetic nervous system, activity, Return of autonomic nervous activity after delivery: role of aortocaval compression **932**
sympathetic nervous system, adrenergic block, β-Adrenoceptor block and myocardial ischaemia revisited!: *abstract* **457P**
β-Blockers and perioperative cardiovascular risk: *abstract* **458P**
sympathetic nervous system, catecholamines, Dissociation of pituitary—adrenal and catecholamine activation after induced cardiac arrest and defibrillation **271**
sympathetic nervous system, clonidine, I.v. clonidine: does it work as a hypotensive agent with inhalation anaesthesia? **639**
sympathetic nervous system, dexmedetomidine, Dexmedetomidine reduces seizure threshold during enflurane anaesthesia in cats **935**
sympathetic nervous system, dopamine, Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**
sympathetic nervous system, dopexamine, Effect of dopexamine on gut permeability in the critically ill: *abstract* **806P**
sympathetic nervous system, epinephrine, Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**
Oral mucosal blood flow, plasma epinephrine and haemodynamic responses after injection of lidocaine with epinephrine during midazolam sedation and isoflurane anaesthesia **570**
sympathetic nervous system, norepinephrine, Effects of non-depolarizing neuromuscular blocking agents on norepinephrine release from human atrial tissue obtained during cardiac surgery **904**
Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**
Splanchnic circulation and regional sympathetic outflow during peroperative PEEP ventilation in humans **838**

sympathetic nervous system, phenylephrine, Effect of mild hypothermia on the vascular actions of phenylephrine in rat aortic rings **938**
sympathetic nervous system, vasopressin, Haemodynamic changes associated with portal triad clamping are suppressed by prior hepatic pedicle infiltration with lidocaine in humans **691**

temperature, effect, Mucosal tissue oxygenation of the porcine jejunum during normothermic cardiopulmonary bypass **738**
Temperature-dependent errors using gastrointestinal tonometry–an *in vitro* study: *abstract* **787P**
Effect of mild hypothermia on the vascular actions of phenylephrine in rat aortic rings **938**
theories of anaesthetic action, molecular, Can electrostatic potential-activity models predict the potencies of i.v. general anaesthetic agents? : *abstract* **470P**
Conciousness and molecular mechanisms of anaesthesia: *correspondence* **648**
Distinct molecular sites of anaesthetic action: pentobarbital block of human brain sodium channels is alleviated by removal of fast inactivation **74**
thiopental, pharmacokinetics, A model of the kinetics and dynamics of induction of anaesthesia in sheep: variable estimation for thiopental and comparison with propofol **890**
toxicity, glycine, Glycine toxicity after high-dose i.v. infusion of 1.5% glycine in the mouse **250**
transplantation, Organ donation in a tertiary referral hospital: 1 yr experience: *abstract* **794P**

ventilation, airway resistance, Flumazenil antagonizes midazolam-induced airway narrowing during nasal breathing in humans **698**
ventilation, deadsapce, Little effect of positive end-expiratory pressure on carbon dioxide elimination in humans after coronary artery bypass surgery: *abstract* **460P**
Small tidal volume ventilation using a zero deadspace tracheal tube **213**
ventilation, dyspnoea, A low concentration of nitrous oxide reduces dyspnoea produced by a combination of hypercapnia and severe elastic load **14**
Effect of nitrous oxide on dyspnoea: *correspondence* **811**
ventilation, hyperventilation, Effect of exercise on body carbon dioxide dynamics during and after volitional hyperventilation: *abstract* **463P**
ventilation, intermittent positive pressure, Cardioventilatory couplng: effects of IPPV **546**
ventilation, mechanical, Assessment of comfort of spontaneously breathing volunteers using various modes of assisted ventilation: *abstract* **803P**
Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**
Dynamics of re-expansion of atelectasis during general anesthesia **551**
Formation of nitrogen dioxide from nitric oxide and their mesurement in clinically relevant circumstances **182**
Small tidal volume ventilation using a zero deadspace tracheal tube **213**
ventilation, mechanics, Simplification of super-syringe method allowing routine measurement of respiratory mechanics in patients with ARDS: *abstract* **785P**
Ventilatory compensation for inspiratory resistive loads during anaesthesia with halothane or isoflurane **847**
ventilation, one-lung, Comparison of the effects of desflurane and isoflurane on arterial oxygenation during one-lung ventilation: *abstract* **452P**
Placebo-controlled study of inhaled nitric oxide to treat hypoxaemia during one-lung ventilation **208**
ventilation, positive end-expiratory pressure, Comparison of exogenous surfactant therapy, mechanical ventilation with high end-expiratory pressure and partial liquid ventilation in a model of acute lung injury **81**
Little effect of positive end-expiratory pressure on carbon dioxide elimination in humans after coronary artery bypass surgery: *abstract* **460P**
Splanchnic circulation and regional sympathetic outflow during peroperative PEEP ventilation in humans **838**
ventilation, positive pressure, Preliminary evaluation of a new prototype laryngeal mask in children **132**
Pulse oximatry plethysmographic waveform during changes in blood volume **178**
ventilation, tidal volume, Small tidal volume ventilation using a zero deadspace tracheal tube **213**
vomiting, antiemetics, Antiemetic activity of the NK_1 receptor antagonist GR205171 in the treatment of established postoperative nausea and vomiting after major gynaecological survey **274**
vomiting, incidence, Acupressure and the prevention of nausea and vomiting after laparoscopy **387**
Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
Omitting antagonism of neuromusular block: effect on postoperative nausea and vomiting and risk of residual paralysis. A systematic *review* **379**
vomiting, nausea, Antiemetic activity of the NK_1 receptor antagonist GR205171 in the treatment of established postoperative nausea and vomiting after major gynaecological survey **274**
vomiting, nausea, Combined epidural—spinal opioid-free anaesthesia and analgesia for hysterectomy **881**
Combined field block and i.p. instillation of ropivacaine for pain management after laparoscopic sterilization **586**
Glycoprrolate reduces nausea during spinal anaesthesia for Caesarean section without affecting neonatal outcome **277**
Methodological problems arising from 'serial publishing' on the effectiveness of granisetron in PONV: *correspondence* **481**
Omitting antagonism of neuromusular block: effect on postoperative nausea and vomiting and risk of residual paralysis. A systematic review **379**
vomiting, nausea, acupressure, Acupressure and the prevention of nausea and vomiting after laparoscopy **387**